

Atmos. Meas. Tech. Discuss., 4, C2594–C2595, 2012

[www.atmos-meas-tech-discuss.net/4/C2594/2012/](http://www.atmos-meas-tech-discuss.net/4/C2594/2012/)

© Author(s) 2012. This work is distributed under the Creative Commons Attribute 3.0 License.



AMTD

4, C2594–C2595, 2012

Interactive  
Comment

## ***Interactive comment on* “Field inter-comparison of two high-accuracy fast-response spectroscopic sensors of carbon dioxide” by B. A. Flowers et al.**

**B. A. Flowers et al.**

[bflowers@lanl.gov](mailto:bflowers@lanl.gov)

Received and published: 10 January 2012

Sirs,

I have uploaded a letter addressing all of the reviewers comments on the first draft of our manuscript, AMTD, 4, 5387 (2011).

Thank you, Bradley Flowers

Please also note the supplement to this comment:

<http://www.atmos-meas-tech-discuss.net/4/C2594/2012/amtd-4-C2594-2012-supplement.pdf>

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive  
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

C2595

