Atmos. Meas. Tech. Discuss., 4, C917–C918, 2011 www.atmos-meas-tech-discuss.net/4/C917/2011/ © Author(s) 2011. This work is distributed under the Creative Commons Attribute 3.0 License.



AMTD

4, C917-C918, 2011

Interactive Comment

Interactive comment on "Characterisation of corona-generated ions used in a Neutral cluster and Air Ion Spectrometer (NAIS)" by H. E. Manninen et al.

T.-E. Parts

tene@ut.ee

Received and published: 21 June 2011

A short comment – it seems incorrectly to write: Page 2104 line 15 - "An atmospheric pressure interface time-of-flight mass spectrometer (APi-TOF, Ehn et al., 2010; Junninen et al., 2010) was used to measure the composition of corona generated ions in both negative and positive polarity." Page 2109 line 10 - "We also measured the chemical composition of the ions generated in the corona discharger." Page 2112 line 5 - "The chemical composition of the ions was measured in parallel with the size measurements."

You measure the quantity mass/charge and propose the chemical composition accord-

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



ing to these data. You cannot measure the chemical composition of ions by mass spectrometer.

Interactive comment on Atmos. Meas. Tech. Discuss., 4, 2099, 2011.

AMTD

4, C917-C918, 2011

Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

