

## ***Interactive comment on “Using sonic anemometer temperature to measure sensible heat flux in strong winds” by S. P. Burns et al.***

**S. P. Burns et al.**

sean@ucar.edu

Received and published: 3 February 2012

We thank Erik Sahlée for pointing out the papers by Grelle and Lindroth (1996) and Smedman et al. (2007) that have shown similar issues when computing the sensible heat flux with Gill SOLENT sonic anemometers in high winds. (In addition, Georg Wohlfahrt made us aware that Aubinet et al. (2000) discusses these same heat flux issues and Figure 4 from Grelle and Lindroth (1996) is reproduced in Aubinet et al. (2000).)

We note that there is a difference between our results with the CSAT3 and what was found previously with the SOLENT. We found the CSAT3 sensible heat flux tended to be more positive than the thermocouple heat flux as windspeed increased for all stabilities, whereas the SOLENT sonic heat flux tended to be larger in *magnitude* than the

C18

heat flux from the Pt wire (e.g., under stable conditions the CSAT heat flux was closer to (or above) zero while the SOLENT heat flux tended toward a larger negative value). We would not necessarily expect the two sonic anemometers to behave similarly (because the CSAT3 and SOLENT have very different geometries, firmware, etc), but it is interesting to note that they behave in the opposite way under stable conditions.

We regret not including these three papers in our submitted paper, but they will certainly be included in any future versions of our paper along with an appropriate discussion.

### **References**

- Aubinet, M., Grelle, A., Ibrom, A., Rannik, U., Moncrieff, J., Foken, T., Kowalski, A. S., Martin, P. H., Berbigier, P., Bernhofer, C., Clement, R., Elbers, J., Granier, A., Grunwald, T., Morgenstern, K., Pilegaard, K., Rebmann, C., Snijders, W., Valentini, R., and Vesala, T.: Estimates of the annual net carbon and water exchange of forests: The EUROFLUX methodology, *Advances In Ecological Research*, Vol 30, 30, 113–175, 2000.
- Grelle, A. and Lindroth, A.: Eddy-correlation system for long-term monitoring of fluxes of heat, water vapour and CO<sub>2</sub>, *Global Change Biology*, 2, 297–307, 1996.
- Smedman, A.-S., Högström, U., Sahlée, E., and Johansson, C.: Critical re-evaluation of the bulk transfer coefficient for sensible heat over the ocean during unstable and neutral conditions, *Quarterly Journal of the Royal Meteorological Society*, 133, 227–250, 2007.

---

Interactive comment on Atmos. Meas. Tech. Discuss., 5, 447, 2012.