

## ***Interactive comment on “Observations of tropical rain with a polarimetric X-band radar: first results from the CHUVA campaign” by M. Schneebeli et al.***

**M. Schneebeli et al.**

marc.schneebeli@epfl.ch

Received and published: 12 May 2012

General comments: All the issues raised by reviewer three are addressed in the replies to reviewers 1 and 2.

Specific comments: - The effect of radome attenuation on Zdr will be investigated.

- We will be more detailed in the description of the EKF method and the other methods used to determine Kdp.

- There is such a large difference in the correlation because the EKF method is reducing the noise in Zdr, which is leading to a higher correlation coefficient. This can be seen in Figure 4c, where the two different estimates of Zdr are shown in one plot. Given the fact that there are already a lot of figures in the manuscript, I am not sure

C936

if the figure recommended by reviewer 3 will enlighten this issue. However, I think it should be clear enough from Figure 4c and some additional explanations.

- Fig 4 a-d: the location of the disdrometer will be indicated.

- P 1720, line 5-10: Will be clarified.

- I agree and will change the units of Figure 2.

- Statistics will be given.

- Figure 6: The time series uses the mean over all the azimuth angles.

- Figure 7: I don't see why I should add the Zh histogram.

- The statistics are already given in the table 4.

---

Interactive comment on Atmos. Meas. Tech. Discuss., 5, 1717, 2012.