

Interactive comment on “Interference of sulphur dioxide to balloon-borne ECC ozone sensors over the Valley of Mexico” by I. Kanda et al.

Anonymous Referee #2

Received and published: 13 February 2014

Kanda et al. investigate the potential interference of SO₂ in O₃ concentrations measured by electrochemical cells used in ozone-sondes. They observed drastic drops in the signal of these cells during a number of ozone-sonde launches over Mexico City and assumed that the cause was large plumes of SO₂ emitted by a nearby volcano and a large industrial complex. They used the WRF and FLEXPART models to test their hypothesis, as well as conducted lab experiments to evaluate the SO₂ interference in the electrochemical cells.

The ozone-sondes observations presented here were accidental and limited to a small number (5). However, they might provide valuable information for future studies suggesting the use of SO₂ filters for measurements in polluted atmospheres. This will only be true if the authors give a right proportion to their observations. The electrochemical

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



cells have been used for decades to measure O₃ (Komhyr, 1969). The interferences caused by other trace gases are also well known (e.g. Barnes et al., 1985) and have been also used to detect SO₂ plumes at high altitudes (e.g. Morris et al., 2010; Flen-tje et al., 2010; as cited in this manuscript). Similarly, the SO₂ emissions from the Popocateptl volcano and the Tula industrial complex, and their impact in the atmo-sphere of Mexico City have been extensively studied (e.g. Grutter et al., 2008; de Foy et al., 2009; Almanza et al., 2012, 2013).

Our recommendation in the preliminary review is still valid. The material presented here is more suitable for a technical note rather than for a research article. It is not clear if the manuscript fills the scope of *Atm. Meas. Tech.* No new measuring/analysis techniques are introduced and the topic has been extensively studied and reported in previous articles.

If the authors decide to continue with the article's submission, they need to consider the following comments:

- 1) The manuscript needs to be read and corrected by a native English speaker. Some sections are obscure due to grammatical errors.
- 2) This corrected version of the manuscript is shorter than the original, but is still long. Some paragraphs do not provide enough information and others are repetitive.
- 3) There is a lack of references in some sections. A better literature review is needed.
- 4) All acronyms need to be defined the first time they appear (e.g. DOAS, GPS, LST, WRF, FLEXPART, NCEP, WSM, ATI, TLI, CONCAWE, etc.).
- 5) The number of observations is insufficient to provide conclusive findings. The ozone drops at 5,500 m observed in four ozone-sonde launches may be related with the Popocateptl volcano plume, as suggested and discussed by the authors. But it is dif-ficult to associate (scientifically) the failures in the electrochemical cells with the emis-sions from the Tula industrial complex using as reference only one observation. In

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

addition, studies designed specifically to investigate the Tula's impact in the air quality of Mexico City, have found that Tula's plume reach only the city during particular meteorological conditions and operational circumstances of the refinery and/or power plant located there. Similarly, studies conducted by the local environmental authority (RAMA, as defined in the article) have concluded that some industries in the north of the city are still illegally burning dirty fuels, particularly during night-time. Reason why is not uncommon to see high SO₂ concentrations in the north of the city during nights and following mornings.

Minor comments:

P294, L24. Which standards (e.g. Mexican standards, USA-EPA, etc.)?

P294-P295. Introduction. Consider that readers of AMT are familiar with the ozone pollution details. Better provide information about the use and history of electrochemical cells to measure ozone and their limitations caused by interferences with other trace gases.

P295, L 11. . . . and destruction. Add reference.

P296, L19-27. More precise objectives are needed. Explain what you are trying to demonstrate/investigate in this particular study, and not the in the main field campaign.

P297, L10-14. Add reference.

P299, L3. SO₂ emission sources?

P299, L9-10. INEM2008, reference missing.

P299, L12. For the Federal District emissions indicate the base-year of the inventory.

P300, L6. With the aim of unravelling the life cycle of O₃ in MCMA? The O₃ problem in the Valley of Mexico has been well documented in the peer-reviewed literature (e.g. <http://mce2.org/en/publications>).

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

P300, L15. Do you mean “ascending speed” by “rate of climb”?

P303, L22-26. It would be helpful to indicate the location of the balloon when it reached the 5,500 m height in figure 5b.

P303, L27. How was the thermal ascent of the volcano plume estimated?

P304, L9. Remove this section. See comment #5.

P306, L24-26. What about the month of November? Your study is based on measurements conducted on this month.

P307, L1. Remove this section. See comment #5.

P311, Fig. 1. Define all acronyms. Readers may not go to the main text to find their meanings.

P312, Fig. 2. The light and dark blue and green traces are not easy to distinguish. Better use markers or lines+markers.

P313, Fig. 3. Units? Why is a logarithmic function needed?

P314, Fig. 4. Why not presenting the ozone concentrations in units of ppb?

P315, Fig.5 Use an additional panel to show the wind direction profiles.

P316, Fig. 6. Vertical distribution of O₃ concentration and equivalent potential temperature

P317, Fig. 7. PED SO₂ data before 6 am?

P319, Fig. 9. What does OCENTRAL mean at the top of each panel? Instead of using numbers to indicate the months analysed in each panel, write the months' names.

References

Almanza, V. H., Molina, L. T., and Sosa, G.: Soot and SO₂ contribution to the supersites in the MILAGRO campaign from elevated flares in the Tula Refinery, Atmos.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

Chem. Phys., 12, 10583-10599, 2012

Almanza, V. H., Molina, L. T., Li, G., Fast, G., and Sosa-Iglesias, G.: Impact of external industrial sources on the regional air quality of Mexico City. *Atmos. Chem. Phys. Disc.*, 13, 26579-26625, 2013.

Barnes, R. A., Bandy, A. R., and Torres, A. L.: Electrochemical concentration cell ozonsonde accuracy and precision, *J. Geophys. Res.*, 90, 7881–7887, 1985.

de Foy, B., Krotkov, N. A., Bei, N., Herndon, S. C., Huey, L.G., Martínez, A. P., Ruiz-Suárez, L. G., Wood, E. C., Zavala, M., and Molina, L. T.: Hit from both sides: tracking industrial and volcanic plumes in Mexico City with surface measurements and OMI SO₂ retrievals during the MILAGRO field campaign, *Atmos. Chem. Phys.*, 9, 9599-9617, 2009.

Grutter, M., Basaldud, R., Rivera, C., Harig, R., Junkerman, W., Caetano, E., and Delgado-Granados, H.: SO₂ emissions from Popocatépetl volcano: emission rates and plume imaging using optical remote sensing techniques, *Atmos. Chem. Phys.*, 8, 6655-6663, 2008.

Komhyr, W. D.: Electrochemical cells for gas analysis, *Ann. Geophys.*, 25, 203-2010, 1969.

[Interactive comment on Atmos. Meas. Tech. Discuss.](#), 7, 293, 2014.

[Full Screen / Esc](#)

[Printer-friendly Version](#)

[Interactive Discussion](#)

[Discussion Paper](#)

