

Interactive  
Comment

# ***Interactive comment on “Field deployable diode-laser-based differential absorption lidar (DIAL) for profiling water vapor” by S. M. Spuler et al.***

**S. M. Spuler et al.**

spuler@ucar.edu

Received and published: 6 January 2015

We realized there was an error in equation 5. The term  $\frac{1}{mk}$  needs to be changed to  $\left(\frac{1}{mk}\right)^{0.5}$ . In addition, since the equation describes the % relative error as a function of range, the left side of the equation needs to be changed from  $\sigma_n$  to  $\frac{\sigma_n}{n_{wv}}(r)$ . The complete corrected version follows.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

$$\frac{\sigma_n}{n_{wv}}(r) = \frac{1}{2\Delta r(\sigma_{on}(r) - \sigma_{off}(r))n_{wv}} \left(\frac{1}{mk}\right)^{0.5} \times \left[ \frac{N_{S.on}(r) + N_B}{N_{S.on}(r)^2} + \frac{N_{S.on}(r+\Delta r) + N_B}{N_{S.on}(r+\Delta r)^2} + \frac{N_{S.off}(r) + N_B}{N_{S.off}(r)^2} + \frac{N_{S.off}(r+\Delta r) + N_B}{N_{S.off}(r+\Delta r)^2} \right]^{0.5} \quad (1)$$

The corrected  $\left(\frac{1}{mk}\right)^{0.5}$  term changes the performance model results shown in Fig. 6-8. The new figures are attached.

Interactive comment on Atmos. Meas. Tech. Discuss., 7, 11265, 2014.


Interactive  
Comment

Full Screen / Esc

Printer-friendly Version


Interactive Discussion

Discussion Paper

Interactive  
Comment


**Fig. 1.** Performance estimate for day and night with 150 m range resolution and 10 minute averaging for the near and far range channels for an online column OD of 1.5. For a 10% error, the instrument has

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

[Interactive  
Comment](#)

**Fig. 2.** Daytime performance estimate for resolutions of 150 m, 300 m, and 600 m with integration time of 10 min and column optical depth at 5km range of 0.6 and 1.5.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

[Interactive  
Comment](#)

**Fig. 3.** Daytime performance estimate in % error for temporal resolutions of 10 s, 1 min, and 10 min with a spatial resolution of 150 m for an online column OD of 1.5. The model results indicate that 1 min

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)