Atmos. Meas. Tech. Discuss., 8, C274–C275, 2015 www.atmos-meas-tech-discuss.net/8/C274/2015/

© Author(s) 2015. This work is distributed under the Creative Commons Attribute 3.0 License.



AMTD

8, C274–C275, 2015

Interactive Comment

Interactive comment on "A new method of measuring aerosol optical properties from digital twilight photographs" by M. Saito and H. Iwabuchi

Anonymous Referee #1

Received and published: 10 March 2015

The paper is addressing an interesting subject concerning a method to infer aerosol optical properties from digital twilight photographs. The paper is interesting and could be accepted after minor revision that I am suggesting here. My reaction to the paper is that it would be good to compare the method proposed to a much simpler method described in Zerefos et al., 2007, 2014 where digital pictures were also used to calibrate the method before, during and after the overpass of a Sahara dust event over an experimental site. The method is simple and relies on calculating red-to-green ratios measured either in digital photographs, in situ and painted by professional colorists. Therefore I would like to see a short discussion on the methods. It appears that large volcanic eruptions have left a high red-to-green ratio either in digital pictures or in paintings by great masters in the past. With this minor correction I think the paper can be

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



accepted for publication in AMT.

Interactive comment on Atmos. Meas. Tech. Discuss., 8, 191, 2015.

AMTD

8, C274-C275, 2015

Interactive Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

