Atmos. Meas. Tech. Discuss., 8, C3686–C3687, 2015 www.atmos-meas-tech-discuss.net/8/C3686/2015/
© Author(s) 2015. This work is distributed under the Creative Commons Attribute 3.0 License.



Interactive comment on "Measurement of wind profiles by motion-stabilised ship-borne Doppler lidar" by P. Achtert et al.

P. Achtert et al.

p.achtert@leeds.ac.uk

Received and published: 30 October 2015

We thank the reviewers for their constructive criticism and helpful comments. We introduced the following general changes to the manuscript:

- The discussion of the results now includes the standard deviation, bias and rmse for the comparison of measurements with lidar and radiosonde.
- The comparison to the flux tower wind measurements has been omitted as one reviewer thought it unnecessary to convey the message of the manuscript.
- We added a measurement case that presents our combined data set from measurements with ceilometer and Doppler wind lidar in combination with soundings.
 C3686
- Details on the motion-stabilisation algorithm have been added as Appendix A.

Please find detailed answers to the comments in the attached file.

Please also note the supplement to this comment: http://www.atmos-meas-tech-discuss.net/8/C3686/2015/amtd-8-C3686-2015-supplement.pdf

Interactive comment on Atmos. Meas. Tech. Discuss., 8, 9339, 2015.