Atmos. Meas. Tech. Discuss., doi:10.5194/amt-2017-156-RC2, 2017 © Author(s) 2017. This work is distributed under the Creative Commons Attribution 3.0 License.



AMTD

Interactive comment

Interactive comment on "High-Range Resolution Spectral Analysis of Precipitation Through Range Imaging of the Chung-Li VHF Radar" by Shih-Chiao Tsai et al.

Anonymous Referee #2

Received and published: 3 November 2017

General comments:

An extended application of the multi-frequency range-imaging technique (RIM) implemented in the Chung-Li VHF radar is presented in this manuscript. The RIM technique is used to obtain information about the atmosphere in high range resolution. This method is well known for many years and used be many scientists. Also authors of this manuscript have developed improvement routines and have published various papers about the practical usage of the RIM technique. In this manuscript they show the application of RIM during the simultaneous occurrence of different kinds of precipitation and dynamic background atmosphere conditions, they show the RIM capability

Printer-friendly version

Discussion paper



for both echo types, and they present a method and validation for the further improvement of the range continuity. The paper is well written. The authors give a good short introduction, overview and description of the experimental setup. However, because some of the addressed topics in this manuscript (e.g., improved range resolution, comparison Fourier-RIM Capon-RIM, application of RIM to precipitation, range-weighting function effect, point-to-point range correction, conditional averaging) were presented (separately) in earlier papers, the authors should more highlight the new elements and goals of their work. Also additional information about the choice of the short-time cases (within the 3-day-periode), the automatic separation between precipitation and atmosphere echoes, and the restriction to specific height ranges for some studies should be included. A minor revision is recommended.

Specific comments:

L89 previous studies -> include references

L115 "is 31"

L117 "and thus"

L123+ the used time series length (resolution in the frequency domain) for the data analysis is missing.

L144 insert the date and time in the text

L173 "18.6 h and 19.9 h" -> convert it also to HH:MM:SS, because all further times are in this format

L187 "(referring to Fig. 3a)" -> mark it in Fig. 3a

L202 and later: "15 m" -> inconsistent to caption of Fig. 5 ("5 m")

L209 "Several cases of melting layers showed the same features (not presented here)." -> The authors could show Height-Time-Velocity plots for both velocities.

AMTD

Interactive comment

Printer-friendly version

Discussion paper



L307 "spectral width"

Figures: Most of the figures are really small and should be enlarged. The advantages of RIM and the improvement methods are not always clear visible in the plots. Sometimes a zoom-in is necessary.

Figure 4a and 4b: Why is it not better to show the errors as function of height? Caption is missing.

Figure 5: "resolution of 5 m" -> inconsistent to text ("15 m")

Figure 6: "height range from 1650 to 4000 m" is not mentioned in the text

Figure 7-10, right panel: Which slope is marked by the red line?

Figures and Text: Five decimal places for the slopes and mean values should not be necessary.

Interactive comment on Atmos. Meas. Tech. Discuss., doi:10.5194/amt-2017-156, 2017.

AMTD

Interactive comment

Printer-friendly version

Discussion paper

