Atmos. Meas. Tech. Discuss., doi:10.5194/amt-2019-224-RC1, 2019 © Author(s) 2019. This work is distributed under the Creative Commons Attribution 4.0 License.





Interactive comment

Interactive comment on "Optimization of a gas chromatographic unit for measuring BVOCs in ambient air" by Kenneth Mermet et al.

Anonymous Referee #2

Received and published: 8 August 2019

This paper described detail about biogenic VOC (terpenoid) measurements: method, calibration, error estimation etc. Accurate measurement of terpenoid is quite difficult, and most researchers avid detailed experiment, especially error estimation. Therefore, this paper would be quite informative and useful for terpenoid measurement, and for considering the limitation (error) of the observed terpenoid data.

Comments: Is it possible if other VOC (especially terpenoid) which is not included as target in this study would co-eluted with the target VOCs ? In the text (page11 line5), author explained about co-elution of target biogenic VOCs and anthropogenic VOCs. But the forest site like LANDEX campaign as demonstrated in this paper, non-target biogenic VOC would be more probable to interference the chromatogram. Are there any comment?

Printer-friendly version

Discussion paper



Small thing: page1 line23 & page2 line7 : "terpenoïds" -> "terpenoid"

Interactive comment on Atmos. Meas. Tech. Discuss., doi:10.5194/amt-2019-224, 2019.

AMTD

Interactive comment

Printer-friendly version

Discussion paper

