

## REVIEWER 2

- Introduction (lines 67-69): in my opinion, the authors should provide more details about Erdmann et al. (2019) work, in which data from ISS-LIS were compared against observations from on-ground lightning detection networks. The authors should better emphasize the “added-value” of their work compared to the previous study just mentioned.

**=> In the introduction it has been now mentioned that Erdmann’s work (2019) was the first time that data from ISS-LIS and a ground-based LLS network were compared, albeit over a shorter time period and spatial area than our present study: “The data of this sensor, called ISS-LIS, was analyzed in Erdmann et al. (2019) for the time period March 2017 to March 2018. They compared for the first time, although in a small part of Europe, ISS-LIS data to the low-frequency LLS of Météorage and the lightning mapping array SAETTA (Coquillat et al., 2019) over the northwestern Mediterranean Sea near Corsica. In this paper the performance of EUCLID (EUropean Cooperation for LIghtning Detection), a ground based LLS similar to the LLS of Météorage, will be evaluated relative to the ISS-LIS data over an extended time period and larger area in Europe compared to Erdmann et al. (2019).” Relative flash DE values as described in Erdmann et al. (2019) were mentioned already throughout the text at appropriate places, but we have added now the different time & spatial matching criteria in the text as well: “Applying analogue flash matching criteria as in Erdmann et al. (2019) over the Corsica area, i.e., strokes/pulses are matched to ISS-LIS groups using a 1.0 s temporal and 20 km spatial criterion,”**

- Data (2.1 Euclid): Why did the authors choose the data from EUCLID network for their analysis? I suggest to provide clear and strong motivations about this choice. It is well known that in European area other lightning detection networks are available, providing data about cloud-to-ground (CG) and intra-cloud (IC) flashes with high detection efficiency.

**=> There are definitely other ground-based LLS covering Europe. However, the performance of EUCLID is monitored frequently through various ground-truth campaigns (either via tower measurements or via mobile E-field and video measurements) over many years and is to our knowledge, the best documented network to date in Europe in terms of its location accuracy and detection efficiency, as published in various journal articles and conference proceedings. The results of those ground-truth campaigns were mentioned already in the manuscript and is believed to be sufficient why EUCLID has been chosen.**

- Data (2.2 LIS, Lines 124): the authors stated that they used a non-quality controlled ISS-LIS dataset. I think that some clarifications are needed. What does mean “non-quality controlled”? How did the authors overcome this problem?

**=> Although ‘officially’ named as “non-quality controlled” data, it is somewhat misleading. The data does include some quality control in the form of alert/warning flags, however some improvements to the algorithm creating the ISS-LIS data files are still ongoing. The main issue being the sensitivity of ISS-LIS compared to TRMM-LIS, or as formulated by Blakeslee in his 2019 GLM presentation: “The DE for LIS on ISS is on the order of 5% less than the DE for TRMM LIS, reflecting its slightly lower sensitivity. We expect that difference to decrease some when we apply our refined view time corrections to the data associated with the solar panel obscuration presently not being accounted for in view time”. Note that the final quality controlled data are currently unavailable, but will be made available at a later undefined date. The following is added to the text at L127: “The non-quality controlled label is somewhat misleading since the data does include quality information in the form of alert/warning flags, however some improvements to the algorithm creating the ISS-LIS data files is still ongoing. The main issue being the sensitivity of ISS-LIS compared to TRMM-LIS, with the DE for LIS on ISS on the order of 5% less than the DE for TRMM LIS (R. Blakeslee, 2019 GLM Annual Science Team Meeting, Huntsville), impacting to some degree the DE values presented in this paper.”**

- Methodology (Line 168): I suggest to produce a Figure or a Table to support and justify these choices about spatial and temporal criteria.

**=> The temporal and spatial criteria are similar to the once used in previously published journal papers as cited in the text, i.e., Franklin (2013), Bitzer et al. (2016), Zhang et al. (2016, 2019).**

- Results: to improve the quality of the presentation of the findings of this study, I propose to produce one or two additional tables.

=> **Two extra tables (1 and 2) including the stroke/group and flash DE values are added to the text.**

- Conclusions: please add a brief discussion about the future implications of this work. I think it may have a good impact from different perspectives. Therefore, the conclusions section should not be limited to a summary of the main results.

=> **At the end of Section 5 following is added: “The main objective of this study was to investigate how well the observations of a ground-based LLS, in this case EUCLID, are linked to space-based optical lightning signatures of LIS on ISS over a large part in western Europe. Consequently, the method described in this work and results thereof provide a framework to be used in potential future studies involving MTG-LI observations over Europe. Moreover, whereas now the focus was on one particular LLS, it is straightforward to apply it to observations of different ground-based LLSs covering the entire MTG-LI domain or parts thereof.”**

- Finally, I suggest to carefully check the paper to address some minor typos

=> **Editorial changes are addressed.**