"Interpolation uncertainty of atmospheric temperature radiosoundings"

Answer to Referee #1

Dear Referee.

Thanks a lot for using your precious time in reading our paper and making valuable comments that, we believe, are relevantly improving the paper.

Generally speaking, we appreciated all your comments and changed the manuscript accordingly. Also, note that the professional proofreading of the article has been made.

In the sequel, we answer point by point to your report. All answers below and new text parts in the manuscript are in blue, except changes related to the 2nd referee, which are in green.

Best regards, Alessandro Fassò

General comments:

This paper addresses an important question that researchers come across when aiming to estimate the uncertainty on interpolated profile data. The paper is a valuable contribution to Atmospheric Measurements Techniques and I would recommend the publication of this manuscript after a minor revision, which should include some clarifications and improvements to the figures. It is clear that much effort has been put into this work and I'm sure it will be a valuable contribution to the atmospheric research community.

ANSWER: ... thanks ... overall changes ... captions and titles of figures and tables have been reworked ...

Specific comments:

Title: I wonder if the title could be improved, e.g. 'Interpolation uncertainty of atmospheric temperature profiles' or 'Interpolation uncertainty of atmospheric temperature profiles measured with radiosondes'. The reason for this suggestion is, that I would not search for the word 'radiosoundings' but rather for radiosonde or for profile.

ANSWER: Thanks for this suggestion, we adopted the title 'Interpolation uncertainty of atmospheric temperature profiles'.

Line 18: I would argue it is not just the ULTS, but the entire troposphere and strato-

sphere

ANSWER: Thanks, we removed UTLS. Now, we start from the more generic "atmosphere" and, then, we make it more precise in the next point.

Line 22: Also, here I would argue that GRUAN provides reference observations from the surface, through the troposphere, and into the stratosphere (rather than in the UTLS)

ANSWER: we adjusted accordingly.

Line 30: Please rewrite sentence starting on this line e.g. "If interpolation is applied to fill in the missing values, the uncertainty introduced through interpolation should be taken in the uncertainty budget."

ANSWER: Thanks for this. It is more clear and linear.

Line 44: RAOB is not a network, but a software/program, see https://www.raob.com/. I would take out any mentioning of RAOB as I do not think this is useful. Some people use RAOB as an abbreviation for radiosonde observations, however, RS may be better suitable for your paper as you are using the RS41 radiosonde. What you probably mean is the operational radiosonde network. However, nowadays most radiosondes measure with a high vertical resolution, so it is more for historical reasons as the old TEMP format is providing low resolution profiles. An increasing number of sites now report data in high resolution BUFR format.

ANSWER: We removed references to RAOB, and clarified that this is relevant for historical data sets.

Line 57: The sentence starting on this line is not clear to me. Either take it out or try to improve please.

ANSWER: We removed the sentence. In fact, commenting on the relationship between interpolation and forecast is not necessary for this paper.

Line 71: 'the latter being used as missing data for interpolation uncertainty assessment' if I understand it right, you are not using the testing set to assess the interpolation uncertainty, but rather the lack of this data is used to assess the uncertainty. Thus, please reword.

ANSWER: We reworded the paragraph to make it more clear.

Line 73: Could you please give a reference for 'block-bootstrap cross-validation scheme'?

ANSWER: The concept of 'block-bootstrap cross-validation scheme' is discussed in Section 5, so we removed this sentence.

Line 90: I think a better word for 'station' in this context is 'site' which is also used on the GRUAN website. I would suggest correcting that throughout the paper. ANSWER: Done.

Line 117: Please explain what e(t) is.

ANSWER: $\epsilon(t)$ is the white-noise measurement error. We rephrased and explained it

Line 118: I don't understand what you mean with a local dynamics. Could you please clarify?

ANSWER: In the 1st manuscript, "locally" referred to the atmospheric conditions and "dynamics" to the autocorrelation. In the revised one, this sentence is rephrased more explicitly.

Line 141: Is E the expectation value? Please clarify.

ANSWER: Yes it is. Now, the interpolation uncertainty formula is introduced with a more clear text.

Line around 203: Atmospheric output layering. Could you please clarify what you mean?

ANSWER: Each single measurement is taken at certain altitude, say alt, known with good precision. The same holds for the errors in line 227 of 1st manuscript. ALT identifies a layer of the atmosphere with 1 km thickness. Hence for a given layer ALT, the MSE in (11) is given by the average of the squared errors of this layer.

The term "output" is used to differentiate this layering wrt the model segmentation, you noticed in the next comment.

The text has been improved accordingly.

Line 216: I do not really understand this sentence. Please clarify what do you mean with the layering problem? Have you then selected a 400 second layer? If so, please write second out. However, please rewrite the entire sentence as I also am unsure what you mean with the atmospheric adaption. You may need to explain more what you mean so that the reader can follow you.

ANSWER: Thanks for pointing this lack of clarity. We substituted "the layering problem" with "the choice of the layering resolution".

Line 231: Please clarify what you mean with 'overall linear interpolation uncertainty'? Is that an average of the two approaches or which approach is shown here? ANSWER: We removed the confusing term "overall" and added the reference to Eq. (11).

Line 236: I would suggest to always use 's' as unit for second and not "in some instances. s is the SI unit for second and is therefore preferable and clearer. Most importantly though, be consistent throughout the entire paper including the Figures. ANSWER: Thanks, we made it uniform all around the paper.

Figure 10: As mentioned for other Figures as well, your figure caption should be improved. It should be clarified that the different lines show ranges of altitudes. ANSWER: The caption has been improved.

Please use [s] as the unit of second based on SI standard as done earlier in the paper.

ANSWER: Done.

Either in the caption, or in the text, can you please explain how interpolation distances of 70s are possible. Does that happen by merging the 30 and 10 second gap sizes?

ANSWER: Distances of 70s are possible for an average gap size of $\mu_G = 30$ s because the block-bootstrap generates random gaps with Geometric distribution. This is now briefly mentioned in the text after Equation (12).

Delete the title of the Figure, as the description should be given in the caption. ANSWER: Done.

Figure 11: As you are comparing this Figure to Figure 10, it would be helpful to have the same y-axis limits.

ANSWER: Done.

You use "Lint" in the Figure labels, but have never introduces this abbreviation, please make sure you always introduce them.

ANSWER: This acronym has been eliminated.

Also, please include the suggestions made at Figure 10. Delete the title of the Figure, as the description should be given in the caption.

ANSWER: Done.

Line 270: You state that the SE systematically underestimates the interpolation uncertainty, however, looking at the plots, they initially look very similar. Then I noticed that you did not use the same scale, which does make it harder to understand. Please correct this for the readers ease.

ANSWER: Now, we make the two figures more comparable by using the same y-axis range. Moreover, it is remarked that SE > RMSE only at distance=1s, where both are very close to 0.

Line 270: Please also explain why you expect the standard error SE and the RMSE to be about equal? This is probably obvious to you but may not be to the reader and therefore a sentence to refresh that in peoples thinking would help.

ANSWER: If 1) the GP used was a "perfect" model for our data, 2) its coefficients Ψ where known and 3) the cross-validation was exact giving $MSE_y(t)^2 = E[(m(t) - y(t))^2]$, than, we would have:

$$u^2 = SE^2 = MSE - \sigma_{\epsilon}^2$$

Now, σ_{ϵ}^2 is very small, so we should have

$$SE^2 \approx MSE$$

. The new version addresses this.

Line 282: What I am missing here is a discussion of the results of the Figure 13. Depending on where in the profile values are missing, the estimated uncertainties are able to enclose the pseudo-missing data or not. At the fourth gap from the bottom, even the corrected, bootstrap does not agree with the actual measurement, as

the measurements were missing in a local minimum of the profile. This should at least be discussed as this is a fundamental issue with interpolation which cannot be resolved easily.

ANSWER: Thanks for pointing this. A discussion has be added, showing that even in the 4th case (D) the error is close to $3\times$ the bootstrap corrected uncertainty.

Line 299 and 300: It again confuses me that you are first stating the two approaches are interchangeable and then, in the next line, you explain that you suggest a bootstrap corrected formula to integrate both approaches. There is something missing to clarify this.

ANSWER: There are two alternative interpolation techniques, namely linear interpolation and GP-interpolation, which resulted to be equivalent for these data. Moreover there two complementary uncertainty approaches, the bootstrap based and the GP based, which have been integrated.

To avoid confusion, from the conclusions we removed the distinction between linearand GP-interpolation.

Line 311: Is there any way the proposed method can be used by individual researchers? I.e. when using radiosonde data in the old, low-resolution TEMP format and interpolating to a given pressure level. Could lookup tables produced by GRUAN help to estimate this uncertainty as well? Or could lookup tables for averaged interpolation uncertainties be provided to give an estimate to other researchers?

ANSWER: This is an important point, which we are ready to answer only in a informal way. A lookup table published by GRUAN could be used for the average part of the interpolation uncertainty. A software could be developed for the GP computation.

However, the present study covered gap sizes in a range considered important for GRUAN processing (one minute gaps). This is different for example if we want to interpolate mandatory levels (several minute gaps).

Technical corrections:

Line 12: 'Since both ...' Please clarify that you mean both approaches here. Done.

Line 27: high vertical resolution. Done.

Line 38: I think "contemplate" may not be the right word here as it is another word for "consider" indicating it is not applied in OSSSMOSE. Changed to "use".

Line 48/49: "in this frame" maybe better say: in this publication. We rephrased as follows: "These authors used spline interpolation of radiosonde profiles, and indirectly assessed the related uncertainty through a comparison with GRUAN reference measurements."

Line 53: use 'similar' instead of 'the same' and delete 'to a large extend'. Done.

Line 61: correct 'note' to 'noted'. Done.

Line 63: replace 'integrating' with 'using'. Done.

Line 76: Correct spelling of 'soruces' to 'sources'. Done.

Line 95: correct 'radiosonde's' to 'radiosonde'. Done.

Line 96: Write out GNSS. Done.

Line 96: Maybe better: The raw data are corrected for known or experimentally evidenced systematic effects such as adjustments from. Done.

Line 104: Please try to reword this sentence. Done.

Line 139: The formatting here is weird. Is the equation meant to be in-line? Or is it lacking a number? Done.

This seems to be a recurring problem in the following equations, i.e. some have an own line, but no number.

When appropriate for readability, we use displayed equations. On the other side, we number only those displayed equations which are referred in the text.

Something also went wrong with the line numbering between 140 and 145 and at later instances where equations are present. In those instances, I provide approximate line numbers. Thanks.

About line 144: I don't understand the sentence starting with: Since, using field. Please rewrite. It has been rephrased.

Line 149: Try to reword 'with abuse of'. This is a standard, see https://en.wikipedia.org/wiki/Abuse_of_notation.

Line 162: write Equation (1) instead of model (1). Done.

Line 182: replace 'little missing gaps' with 'few missing data'. Done.

Table 1: I would suggest changing the table caption to something along the lines of: GRUAN sites included into the Few_nan dataset and the respective number of launches (imported) and the number of profiles that have less than. Done.

Table 1: I can only guess from the text and comparing the numbers what the column 'Imported' and 'selected' means, please clarify. Also, neither Ny-Ålesund nor Payerne are spelled as on the GRUAN website. Done.

Line around 187: Please correct the sentence starting with: Mudelsee (2014) as it misses a verb. Done.

Line three below 187: take out 'able'. Done.

Line 216: Use were instead of where in the results were. Done.

Line 218: RMSE compared to. Done.

Line 223: Maybe better set-up, we decided to use or settled on using the simplest. Done.

Line 225: champaign – I assume you picked the wrong word here. Oops

Line 238: be more specific in have slightly larger values about what you mean with values, i.e. it is the RMSE. Done.

Table 2: This table should come before Figure 7. Thanks, we adjusted the comment sequence accordingly.

Line 242: Could you please state for which interpolation method you will show the plots in the latter? Done.

Line 245: Maybe better ... Lauder typically have the largest values. Done.

Figure 8: You use the abbreviation CV in the figures but have not introduced it. Also, in the label you say that the x-axis is based on the RMSE. If I understand correctly what you did, it us the RMSE in [K]. Please reword. Thanks, we explained in the caption.

To clarify the effect, I suggest fixing the x-axis limits, or at least mention in the caption that the limits change from one panel to the next. Done.

Line 261: Please write 70 seconds (or s) rather than 70". Thanks, done.

Line 267: Please rewrite the long sentence starting on this line. Thanks, done.

Line 269: "above two graphs" please give the Figure numbers instead as they may have moved around during the process and I assume you mean Figure 10 and Figure 11 which are below. Thanks for pointing it, done.

Line 278: Maybe better '... deleted (pseudo-missing)' as this sentence is currently not nice. Thanks, we rephrased.

Line 280: Write (Equation 7) and (Equation 15). Done.

Line 282: The SI unit for kilometre is km rather than Km. Done.

Line 282: Here you state the plots shows values around 22km and later you state around 23km. While both is not wrong, it would be nice to be consistent. Done.

Line 294: Write 60s or 60 seconds instead of 60". Done.

In Acknowledgements: Please say what the QTF group is as this abbreviation has not been introduced. Done.

Thank you very much for this nice research article! We appreciated very much your careful reading and detailed commenting, and ... the "bon ton".

"Interpolation uncertainty of atmospheric temperature radiosoundings"

Answer to Referee #2

Dear Referee.

Thanks a lot for using your precious time in reading our paper and making valuable comments that, we believe, are relevantly improving the paper.

Generally speaking, we appreciated all your comments and changed the manuscript accordingly. Also, note that the professional proofreading of the article has been made.

In the sequel, we answer point by point to your report. All answers below and new text parts in the manuscript, specific to your comments only, are in green, while blue is for changes solicited by the 1st referee, or by you both, or (minor) changes independent on you.

Best regards, Alessandro Fassò

General comments:

This manuscript contributes to highlight the importance of properly assessing uncertainty when imputation of missing data in atmospheric profiles is realized by interpolation, with novel ideas and tools within the scope of AMT. The statistical approach adopted is innovative, very valid and multifaceted, and it leads to reach substantial conclusions, even illustrated in its practical aspects. The overall presentation is well structured and clear, although some points need further clarifications and improvements, as specified in the following. Thus I would recommend the publication of this manuscript after a minor revision, believing it will be very interesting and useful for AMT readers.

ANSWER: ... thanks ... overall changes ... captions and titles of figures and tables have been reworked ...

Specific comments:

Figures: titles are redundant since information is already written in the caption, if necessary please add information in the caption but remove titles; moreover check axis names (e.g. missing in Figures 2-4) and limits.

We eliminated all figure titles but the panel titles in multi-panel figures.

Line 65: please clarify the sentence "thanks to the availability of appropriate data".

Replaced with: thanks to the availability of "good" profiles without missing data.

Lines 118-120: the error term epsilon(t) should be introduced after its appearance in Equation (1).

Done in blue.

Lines 118- 124: although the assumption of GP is relaxed in a second phase, it would be suitable to justify or at least comment upon the choice of the two considered autocovariance functions.

Added some comments and a reference.

Line 127: here the assumption of zero expected value for the error term in Equation (1) is implied, while it could be written before.

The zero mean property has been stated earlier, close to Equation (1).

Line 174: the assumption of a GP as a good description of the problem comes with a specified autocovariance function, it would be useful to clarify this.

Added a reference to the role of the covariance.

Line 200: to facilitate reading, it would be useful to specify that m_1 refers to Equation (5) and m_2 to Eq. (9), and only for m_2 we need an estimation method (and so a hat).

Done.

Section 8: this section needs to be revised because a 3x3 simulation design is described but after there are comments about the 60 seconds case (e.g. line 237) and even results (e.g. in Table 2). Please correct consistently to have a 4x3 or 3x3 simulation design in all section.

Done.

Line 228: I would suggest to avoid the technical term "2-fold" since it is not introduced before and not necessary.

Done.

Line 270: it could be useful to clarify this sentence, consistently with the abstract where you state that both interpolation methods provide an underestimation.

We reminded that the underestimation is for both the linear- and the GP-interploation.

Lines 299-300: it could be useful a line summarizing reasons to integrate the two approaches and then use the proposed bootstrap-corrected formula.

We tried to make this point more clear by focusing mainly on the two uncertainties and blurring the diffrence among the linear- and the GP-interpolation, which resulted to be equivalent.

Technical corrections:

Line 44: a reference for RAOB would be useful. RAOB is discussed in Finazzi et al. (2019), already cited there.

Line 61: "note" should be "noted". Done.

Line 76: "soruces" should be "sources". Done.

Line 89: a reference for the statistical analysis conducted by GRUAN would be

useful. It is an internal preliminary study, we rephrased to make it more clear: "A preliminary statistical analysis for the occurrence of data gaps in RS41 radiosonde soundings performed at 15 GRUAN stations in the period 2014-2019 shows that gaps occur in more than 20% of the soundings, virtually independent of the height ranges, with the majority (> 95%) having less than 15 gaps per 1000 s."

Table 1: please specify what "Imported" and "Selected" mean. Done.

Line 186: add parenthesis for the two references. Done.

Line 225: maybe campaign? Done.

Line 237: "vey" should be "very". Done.

Figure 7: in addition to the general comments about figures, this one appears with a different look, I would suggest to use the same software for all plots. Done.

Line 261: in the same line seconds are written differently, please check throughout all manuscript. Done.

Figures 10 and 11: captions should be revised since altitude is not represented as axis, and the box with altitude intervals needs a title. Done.

Line 282 and Figure 13: please write in both points 22 or 23 km. Done.

Figure 11: "Lint" needs to be defined. Done.

Figure 12: axis names are missing. Done.

Figure 13: please change one blue color. Done.

Line 312: please delete "TEXT". Done.

Line 325: please explain QTF. Done.

Line 335: Finazzi et al. should have year 2019 (that is correct at page 2). Done.

Interpolation uncertainty of atmospheric temperature profiles

Alessandro Fassò¹, Michael Sommer², and Christoph von Rohden²

¹University of Bergamo, Italy

²GRUAN Lead Centre, Deutscher Wetterdienst, Lindenberg, Germany

Correspondence: Alessandro Fassò (alessandro.fasso@unibg.it)

Abstract. This paper is motivated by the fact that, although temperature readings made by Vaisala RS41 radiosondes at GRUAN sites (www.gruan.org) are given at 1 s resolution, for various reasons, missing data are spread along the atmospheric profile. Such a problem is quite common with radiosonde data and other profile data. Hence, (linear) interpolation is often used to fill the gaps in published data products. From this perspective, the present paper considers interpolation uncertainty, using a statistical approach to understand the consequences of substituting missing data with interpolated data.

In particular, a general frame for the computation of interpolation uncertainty based on a Gaussian process (GP) set-up is developed. Using the GP characteristics, a simple formula for computing the linear interpolation standard error is given. Moreover, the GP interpolation is proposed as it provides an alternative interpolation method with its standard error.

For the Vaisala RS41, the two approaches are shown to provide similar interpolation performances using an extensive cross-validation approach based on the block-bootstrap technique. Statistical results about interpolation uncertainty at various GRUAN sites and for various missing gap lengths are provided. Since both approaches result in an underestimation of the interpolation uncertainty, a bootstrap-based correction formula is proposed.

Using the root mean square error, it is found that, for short gaps, with an average length of 5 s, the average uncertainty is less than 0.10 K. For larger gaps, it increases up to 0.35 K for an average gap length of 30 s and up to 0.58 K for a gap of 60 s. It is concluded that this approach could be implemented in a future version of the GRUAN data processing.

1 Introduction

The quality of climate variable profiles in the atmosphere is relevant in various scientific fields. In particular, it is important for numerical weather prediction, satellite observation validation, and climate change understanding, including extreme events such as droughts and tornadoes. In this frame, more than ten years ago, the GCOS (Global Climate Observing System) Reference Upper-Air Network (GRUAN, www.gruan.org) was established to provide reference measurements from the surface, through the troposphere, and into the stratosphere (Seidel et al., 2009; Bodeker et al., 2016). Immler et al. (2010) discussed the concepts of reference measurements, traceability, full metadata description, a proper manufacturer-independent instrument characterization, and the assessment of measurement uncertainties for upper-air observations.

GRUAN data processing for the Vaisala RS92 radiosonde was developed to meet the above criteria for reference measurements (Dirksen et al., 2014). The related data product is characterised not only by the above-mentioned metrological require-

ments but also by high vertical resolution. After the introduction of the new Vaisala RS41 radiosonde, GRUAN is currently developing the corresponding data processing for the new instrument (Dirksen et al., 2019).

Although temperature readings made by the Vaisala RS41 radiosonde at GRUAN sites are given at 1 s resolution, for various reasons, missing data are sometimes present along the atmospheric profile. If interpolation is applied to fill in the missing values, the uncertainty introduced through interpolation should be considered in the uncertainty budget.

The literature has considered the interpolation of atmospheric profiles from various points of view. In some cases, interpolation is applied to measurement uncertainty. For example, considering the AERONET Version 3 aerosol retrievals, Sinyuk et al. (2020) obtained the uncertainty by interpolation of a lookup table.

A second and more relevant use of interpolation relates to the measurement itself. In this field, Ceccherini et al. (2018) used interpolation for the data fusion of Ozone satellite vertical profiles. Interpolation uncertainty and, more generally, co-location uncertainty have been computed using simulated profiles. Similarly, for co-location uncertainty of the total ozone, Verhoelst et al. (2015) used interpolation in the so-called OSSSMOSE simulator.

In the frame of radiosonde co-location uncertainty, considering relative humidity, Fassò et al. (2014) used a statistical approach based on the heteroskedastic functional regression model. Considering pressure, Ignaccolo et al. (2015) extended the latter approach to 3D functional regression. In these two papers, interpolation uncertainty is implicitly assessed by means of model error variance.

Comparisons of radiosonde and satellite data are sometimes based on low-vertical-resolution radiosonde profiles, especially for historical data. In some cases, interpolation is not required because of the higher vertical resolution of satellite profiles (Sun et al., 2010). In other cases, interpolation is required. For example, Finazzi et al. (2019) considered the harmonisation of low-vertical-resolution temperature and humidity radiosonde measurements and the corresponding atmospheric profiles derived from the Infrared Atmospheric Sounding Interferometer (IASI) aboard the Metop-A and Metop-B satellites. These authors used spline interpolation of radiosonde profiles, and indirectly assessed the related uncertainty through a comparison with GRUAN reference measurements.

As a common trait of the above literature, interpolation of atmospheric profiles is quite common, but a systematic analysis of interpolation uncertainty per se is not yet available. A general approach to interpolation is the geostatistics approach (Cressie and Wikle, 2011) which is similar to the Gaussian Process (GP) approach (Rasmussen and Williams, 2006). Its value is due to the fact that it gives optimal interpolation under some conditions. With some variations, the related optimal interpolation algorithm is based on the autocovariance function or, equivalently, on the structure function (Sofieva et al., 2008). This approach is often used to interpolate in spaces of increasing complexity, such as the Euclidean plane, the sphere (Alegria et al., 2017), the three-dimensional Euclidean space, or the circular shell representing the atmosphere (Porcu et al., 2016). Interestingly, it can be shown that the spline interpolation is a special case of the GP interpolation (Kimeldorf and Wahba, 1970). Another interesting point is that the GP approach comes with a formula for interpolation uncertainty estimation. It must be noted that the formula is correctly used if the true data generation mechanism is a GP. If the GP is simply an approximation an additional term must be added.

In this paper, the uncertainty of the one-dimensional linear interpolation is discussed using two approaches. In the first stage, the closed-form formula of the linear interpolation uncertainty is presented under the assumption that the observed atmospheric profile is generated by a GP. In the second stage, thanks to the availability of good profiles without missing data, the GP assumption is relaxed, and a block-bootstrap correction of the uncertainty formula is constructed. This approach is valid for any atmospheric profile data set. Considering the motivating application, which focuses on temperature readings of the Vaisala RS41 at GRUAN sites, this paper's objective is to contribute to the understanding of interpolation uncertainty expressed as a function of missing gap length, missing frequency, altitude, and site. This objective amounts to studying the feasibility of an algorithm and/or a lookup table providing interpolation uncertainty in a future version of GRUAN data processing.

To achieve this objective, each good profile is divided into a learning set and a testing set. Firstly, data from the testing set are considered as missing and are estimated by interpolation of the learning set data. Secondly, the comparison of estimated and true data in the testing set is used for interpolation uncertainty assessment. This assessment is done for various missing patterns that resemble observed bad launches, which are characterised by many missing measurements. In particular, increasing gap average lengths will be analysed. The testing sets will be extracted using a block-bootstrap approach (Politis and Romano, 1994; Mudelsee, 2014). Hence, although the numerical results are specific to the Vaisala RS41 temperature data set, the approach is quite general and may be applied to other sensors.

The rest of the paper is organised as follows. Section 2 motivates the paper by discussing the sources of gaps in data reception and their impact in GRUAN data processing. Section 3 introduces the Gaussian Process (GP) set-up used to provide the formal assessment of linear interpolation uncertainty and to introduce the GP interpolation with its standard deviation. Section 4 presents the data sets, which are related to Vaisala RS41 observations at seven GRUAN sites and are used in the empirical analysis. Section 5 describes the re-sampling technique able to simulate random patterns of missing values of different durations. Section 6 describes the cross-validation scheme essential for the uncertainty computations and the model selection, which is discussed in Section 7. Section 8 presents the results, compares the behaviour of the two interpolation techniques, and proposes an empirically corrected formula for interpolation uncertainty. Finally, Section 9 draws some conclusions.

2 Data processing and interpolation

60

75

There are several possible reasons for temporary gaps in data reception. These include the presence of obstacles that may interfere with radio transmission to the ground site (trees, buildings, local geography), extraordinary meteorological conditions, or instrument-related reasons. Considering an ascent as a trajectory, rather than a vertical profile, the probability of data gaps occurrence increases with the horizontal distance from the launch site (weaker radio signal), which can significantly exceed the vertical distance, depending on wind conditions.

A preliminary statistical analysis of the occurrence of data gaps in RS41 radiosonde soundings performed at 15 GRUAN stations in the 2014-2019 period shows that gaps occur in more than 20% of the soundings, virtually independent of the height ranges, with the majority (> 95%) having fewer than 15 gaps per 1,000 s. Up to 30 km, gaps >10 only play a role in about 5%




Figure 1. Frequency distribution of temperature gaps in the stratospheric height section between 20 km and 25 km, based on 13'667 RS41 profiles, years 2014-2019. Top left: Frequency distribution of the number of data gaps (independent of gap length). Bottom left: Frequency distribution of the length of the largest gap identified in a profile. The two right panels show the corresponding cumulative frequencies.

of the ascents; however the occurrence of larger gaps generally increases with height (distance). Figure 1 gives an example for the stratospheric height section between $20~\mathrm{km}$ and $25~\mathrm{km}$, where $13{,}667$ profiles are included.

The GRUAN data processing is based on the raw data from the physical radiosonde sensors, namely: temperature, relative humidity, positioning data provided by the Global Navigation Satellite System (GNSS), and pressure if an on-board sensor is present. The raw data are corrected for known or experimentally evidenced systematic effects, such as adjustments from pre-flight ground checks, corrections of sensor time lags, or solar radiative effects. Some intermediate variables are, in turn, calculated (e.g. effective air speed or ventilation) as components of the correction algorithms. A number of secondary variables are finally derived, for example: altitude, geopotential height, water vapour content, or wind components. At different processing stages, smoothing filters are applied for estimation and separation of the signal's noise components. Through all these steps, the regular grid of the measured raw data is maintained, that is, all variables and uncertainties in the product variables are given with the original high resolution.

100

This procedure inevitably leads to specific technical difficulties if data gaps occur randomly or intermittently. For example, smoothing may introduce effects which are difficult to handle when running over gaps, especially for gap sizes comparable to or exceeding the actual kernel length. The same difficulty applies to uncertainty estimates to be associated with the averaged (smoothed) values. Another example is related to magnitudes which are calculated cumulatively with height, such as pressure derived from positioning, temperature, and humidity data, or the integrated water vapour content. As a consequence, processing-related irregularities or deviations may occur in the profile data and uncertainty estimates, the systematics and extent of which are difficult to predict. Depending on the purpose for which the GRUAN data product is further used (e.g. process studies based on high-resolution data, or average-based long-term studies for climate), such systematics may have a different impact.

3 Interpolation uncertainty

105

120

In this section, formulas of the uncertainty for both linear and stochastic interpolation are considered under some stochastic assumptions about the data generation mechanism.

In particular, considering a radiosonde flight, we assume that t = 1,...,T is the flying time in seconds from take-off and y(t) is the observed temperature in Kelvin, provided by the following measurement error equation:

$$y(t) = s(t) + \epsilon(t). \tag{1}$$

In Equation (1), s(t) is the unobserved true temperature, and $\epsilon(t)$ is the zero mean measurement error. In each atmospheric layer, the former is assumed to follow a Gaussian Process (GP), characterised by a power exponential autocovariance function (Cressie and Wikle, 2011; Rasmussen and Williams, 2006), and the latter is assumed to follow a white noise GP. Hence, conditionally on some unobserved time-dependent atmospheric conditions denoted by a(t), the GP y(t) has the following autocovariance function:

$$\gamma(t - t', a(t)) = \sigma_s^2 \exp(-|t - t'|^p/\theta^p) + \sigma_\epsilon^2 I(t = t') \tag{2}$$

where p=1,2, the dependence on a(t) is omitted in the right-hand side for notational simplicity, and I is the indicator function, that is I=1 if t=t' and zero else. It is worth observing that the model in Equation (2) is an important subset of the Matérn class, which is extensively used in statistics, machine learning and atmospheric sciences (Genton , 2002). For p=2, the unobserved true temperature has very smooth paths, since the corresponding GP has infinitely differentiable trajectories, while for p=1, the differentiability condition does not hold, and the correlation decreases faster at short distances.

From Equation (2), the (conditional) variance of y(t) is given by

$$130 \quad \sigma_y^2 = \sigma_s^2 + \sigma_\epsilon^2 \tag{3}$$

where $\sigma_s > 0$ is the standard error of s(t), and $\sigma_\epsilon \ge 0$ is the measurement uncertainty, i.e. $\sigma_\epsilon^2 = E(\epsilon^2)$. For the instruments installed on the Vaisala RS41, it is known that the sensor-intrinsic noise of a temperature sensor is very minimal (< 0.01 K), hence, we expect to find a small σ_ϵ for the data of this paper. In addition, $\theta > 0$ represents the atmospheric persistence range.

The GP is characterised by the parameter set $\Psi = (\theta, \sigma_s, \sigma_\epsilon)$, which is assumed to be slowly varying in time, hence, characterising locally the atmospheric conditions a(t):

$$\Psi = \Psi_{a(t)}. \tag{4}$$

Note that, from the practical point of view, the random error ϵ is a Gaussian white noise and σ_{ϵ} represents the random uncertainty, while (vertically) correlated errors could be confused with s(t). This point will be considered further in Section 8.

40 3.1 Linear interpolation

Considering an observation gap in the interval (t^-, t^+) , the linear interpolation at time t, with t in the gap interval $t^- \le t \le t^+$, is straightforwardly defined by the following formula:

$$m(t) = (1 - \alpha(t))y^{-} + \alpha(t)y^{+} \tag{5}$$

where, $y^{\pm} = y(t^{\pm})$, and $\alpha(t) = \frac{t-t^{-}}{t^{+}-t^{-}}$.

In general, the interpolation uncertainty u(t) is based on the expected value of the squared interpolation error, namely:

$$u(t)^{2} = E[(m(t) - s(t))^{2}].$$
(6)

Clearly, it is defined in terms of the true signal s(t), and is related to the interpolation Mean Square Error, $MSE_y(t)^2 = E[(m(t) - y(t))^2]$ by the well known relation

$$MSE_y(t)^2 = u(t)^2 + \sigma_{\epsilon}^2. \tag{7}$$

Since the measurement uncertainty σ_{ϵ} is unknown in our case, estimating u(t) directly from the data is an issue, and a statistical modelling approach is needed.

Assuming that the true signal s is a GP, as discussed above, the Appendix shows that the linear interpolation uncertainty given in Equation (6) may be computed by the following Standard Error (SE) formula:

$$SE(t)^{2} = 2\sigma_{y}^{2} \left\{ 1 - \alpha + \alpha^{2} \right\}$$

$$+ 2 \left\{ \alpha (1 - \alpha) \gamma(t^{+} - t^{-}) - \alpha \gamma(t^{+} - t) - (1 - \alpha) \gamma(t - t^{-}) \right\}$$

$$+ \sigma_{\epsilon}^{2}$$
(8)

where, with abuse of notation, $\alpha = \alpha(t)$. Note that $SE(t)^2 = u(t)^2$ if the GP assumption is satisfied, but two different symbols are used because, in Section 8, this assumption will be relaxed.

Equation (8) defines a function of t which depends on the atmospheric persistence modelled by γ and the gap size $t^+ - t^-$. 60 Since γ is not continuous in zero, the same happens to SE(t) at the gap interval borders.




Figure 2. Linear interpolation SE, Equation (8), as a function of the gap time for a white noise process with $\sigma_s = 0.5 \,\mathrm{K}$ and $\sigma_\epsilon = 0.01 \,\mathrm{K}$. Three gap sizes are considered: 45, 15, and 5 s.

Figure 2 considers the case where s(t) is a white noise - that is $\gamma(h)=0$ for $h\neq 0$ and $\gamma(0)=\sigma_y^2$. At the gap borders, the interpolation is error-free, $m(t^\pm)=y^\pm$, and the uncertainty is $u(t^\pm)=\sigma_\epsilon$. For t strictly inside the gap interval, we have

$$\frac{3}{2}\sigma_y^2 + \sigma_\epsilon^2 \, \leq \, u(t)^2 \, < \, 2\sigma_y^2 + \sigma_\epsilon^2$$

165

where the minimum is achieved in the centre of the gap interval. In this particular case, the uncertainty range does not depend on the gap size.

The above thresholds may be overcome in the presence of correlation. In general, for a GP with $\theta > 0$, the uncertainty depends both on the GP characteristics and the gap size. As an illustration, using $\sigma_s = 0.5K$, $\sigma_\epsilon = 0.01K$, and $\theta = 3$ s, Figure 3 shows how the interpolation uncertainty depends on the gap size and on the distance from the observations in the presence of a short correlation range. More interestingly for applications, Figure 4 shows that the linear interpolation uncertainty strongly depends on the correlation range.

3.2 Gaussian process interpolation

The assumption that the temperature profile y(t) is a realisation of a GP may be extended to cover for a non-constant mean so that, using some basis functions h(), Equation (1) is rewritten as

$$y(t) = \mathbf{h}(t)'\beta + s(t) + \epsilon(t)$$




Figure 3. Linear interpolation SE, Equation (8), as a function of the gap time for a GP with $\sigma_s = 0.5 \, \text{K}$, $\sigma_\epsilon = 0.01 \, \text{K}$, and $\theta = 3 \, \text{s}$. Three gap sizes are considered: 45, 30, and 15 sn.

with parameter set $\Psi = (\beta, \theta, \sigma_{\epsilon}, \sigma_{s})$. In this context, Equation (3) defines the variance of y(t) conditional on $h(t)'\beta$, namely $Var(y(t)|h(t)'\beta)$. Let us denote the set of all non-missing observations during the radiosonde flight by Y, denote the matrix of the corresponding basis functions by H, and assume that Ψ is known. Then, the GP interpolation of a missing observation at time t^* is given by the well-known conditional expectation formula

$$m(t^*) = E(y(t^*)|\mathbf{Y}) = \mathbf{h}(t^*)'\beta + \mathbf{\Sigma}'_{y(t^*),\mathbf{Y}}\mathbf{\Sigma}_{\mathbf{Y},\mathbf{Y}}^{-1}(\mathbf{Y} - \mathbf{H}\beta)$$

$$(9)$$

where $\Sigma_{Y,Y}$ is the covariance matrix of the good observations $Y|H\beta$, and $\Sigma_{y(t^*),Y}$ is the covariance vector between the missing observation $y(t^*)|h(t^+)'\beta$ and $Y|H\beta$. In addition to point estimation, the GP approach also provides the interpolation standard error:

$$SE(t^*)^2 = E(m-y)^2 = \sigma_y^2 - \Sigma_{y(t^*),Y}' \Sigma_{Y,Y}^{-1} \Sigma_{y(t^*),Y}.$$
(10)

This formula can be used as an estimate of the interpolation uncertainty, provided that the GP, with the autocovariance given by Equation (2), is a good description of the problem under study and the true Ψ is approximately known.




Figure 4. Linear interpolation SE, Equation (8), as a function of the gap time for a GP with $\sigma_s = 0.5 \,\mathrm{K}$, $\sigma_\epsilon = 0.01 \,\mathrm{K}$, and $\theta = 3 \,\mathrm{s}, 3 \,\mathrm{min}, 9 \,\mathrm{min}$, and $30 \,\mathrm{min}$.

4 Data

190

195

Two data sets provided by the GRUAN Lead Centre (www.gruan.org/network/lead-centre), and related to the seven GRUAN sites of Table 1, are considered here. One data set is named Few_nan in this paper and contains 276 temperature profiles characterised by "little" missing data. The second data set, named $Many_nan$, contains 273 profiles with many missing data.

As a preliminary analysis of the bad data set $Many_nan$, Figure 5 shows the distribution of the fraction of missing data per launch. The average missing fraction is 0.13, and the average gap length is 3.6 s. These values will be used to set the parameters of the simulated gap patterns in Section 5.

For further interpolation analysis, those profiles in Few_nan with very few missing data are selected. In particular, the L=177 launches which have gaps shorter than 5 seconds, and a total of fewer then 10 missing values per profile, have been used in this paper. The profile duration distribution is depicted in Figure 6, with an average profile duration of about 6,000 seconds. This distribution gives a total of more than 1 million measurements, which will be amplified using the bootstrap technique of Section 5.




Figure 5. Frequency distribution of missing data fraction in Many_nan data set.




Figure 6. Frequency distribution of profile duration in Few_nan data set.

Site	Code	Country	Profiles	Selected Profiles	
Beltsville	BEL	USA	33	15	
Lauder	LAU	NZ	32	32	
Lindenberg	LIN	DE	54	45	
Ny-Ålesund	NYA	DE/FR	35	35	
Payerne	PAY	СН	100	30	
Lamont	SGP	USA	18	16	
Sodankylä	SOD	FI	4	4	
			276	177	

Table 1. GRUAN sites included into the Few_nan data set with the respective number of profiles and the number of profiles selected for the analysis, which have gaps shorter than 5 s, and a total of fewer then 10 missing values.

5 Block-bootstrap cross-validation scheme

The block-bootstrap is a well-known technique (Politis and Romano, 1994; Mudelsee, 2014) for generating synthetic time series replicates, and in this paper, is used to construct the cross-validation scheme. Let us consider a fully observed temperature profile - without missing values - and, hence, measurements y taken every second from take-off, t = 1,...,T: $\mathbf{Y} = (y(1),...,y(T))$.

This section presents a rule for partitioning each original profile Y as follows:

$$Y \longrightarrow [Y^L, Y^*]$$
 (11)

where \mathbf{Y}^L is the learning set – used for fitting – and \mathbf{Y}^* is the validation set – used for testing the interpolation accuracy and bootstrap-correction. In order to construct the testing set, n_G gap sequences of average duration $\mu_G[\mathbf{s}]$ are extracted from the temperature profile \mathbf{Y} and moved to the testing set \mathbf{Y}^* . Observe that, if the testing size (average) fraction is denoted by f, then $n_G = T \times f/\mu_G$.

The gap scheme is obtained by randomly generating and sorting the n_G gap starting points $1 \le t_1^* \le ... \le t_{n_G}^* \le T$ and by 210 building, for each of them, a gap sequence

$$t_{j}^{*},...,t_{j}^{*}+g_{j}$$

215

where the gap duration g_j is a Geometric random variable with mean μ_G . In particular, the length g_j is truncated at t_{j+1}^*-1 to avoid overlapping among different gap sequences. Let the resulting testing set index be denoted by \mathbf{t}^* . Ignoring the above truncation, \mathbf{t}^* has the random dimension $n^* = n_G + \sum_{j=1}^{n_G} g_j$ and the expected dimension $E(n^*) = T \times f$. Hence, the partitioning rule in (11) is defined by the testing set $\mathbf{Y}^* = (y(t), t \in \mathbf{t}^*)$ and the learning set $\mathbf{Y}^L = (y(t), 1 \le t \le T, t \notin \mathbf{t}^*)$.

We are interested in collecting information about the interpolation error in a dense vertical grid, even if the testing fraction f is small. To accomplish this aim, in the application developed below, the above random extraction process is repeated B times,

so that for each observed profile Y, B replications are generated, namely:

$$[\mathbf{Y}_{b}^{L}, \mathbf{Y}_{b}^{*}], b = 1, ..., B.$$

220 These replications provide a statistical basis to assess the interpolation uncertainty at all altitudes, especially for those sites with a limited number of available profiles.

6 Cross-validation

225

The main results of the next section are obtained using linear interpolation of temperature versus time, based on the neighbouring values, and GP interpolation given by the expectation of Y^* conditionally on Y^L . As in the previous section, let us denote temperature, in Kelvin, by y and flying time, in seconds, by t=1,...,T. The total flying time T depends on the single profile and site, but suffixes are not used here for notational simplicity. For each site s=1,...,S and launch $l=1,...,L_s$, we have the interpolated values

$$\hat{y}(t^*|s,l) = m_j(t^*|s,l)$$

where j=1 denotes the linear interpolation of Equation (5), and j=2 denotes the GP interpolation of Equation (9).

Each bootstrap replicate $[\boldsymbol{Y}_b^L, \boldsymbol{Y}_b^*]$, b=1,...,B is used first to estimate the GP model coefficients $\boldsymbol{\Psi}$ by the maximum likelihood method, as explained in the next section and denoted by $\hat{\boldsymbol{\Psi}}$. Then, the interpolated values $\hat{y}(t^*) = m_2(t^*|\hat{\boldsymbol{\Psi}})$ are computed for the simulated missing times t^* in the test data set, \boldsymbol{Y}_b^* , and the cross-validation interpolation errors are computed as follows:

$$e = e(t^*|s, l, b) = \hat{y}(t^*|s, l, b) - y(t^*|s, l).$$

Note that each single measurement y and error e are taken at certain altitude, say alt = alt(s, l, b), which is known with good precision. As a result, the interpolation MSE and the corresponding Root MSE (RMSE) are classified by site, altitude, and gap length:

$$MSE(ALT, s, \mu_G) = avq(e^2|ALT, s, \mu_G)$$
(12)

where ALT identifies a layer of the atmosphere with a thickness between 2 and 7 km, depending on height. The quantity $avg(\cdot|s,ALT,\mu_g)$ is the average of all testing set terms in the layer ALT, launched from site s and generated using gap size μ_G . We call ALT the output layering to differentiate from the model-related layering of the next section.

7 Modelling details

The GP interpolator depends on the local structure $m_2(t) = m_2(t|\Psi_{a(t)})$, where $\Psi_{a(t)}$ is as in Equation (4). In order to make the local GP modelling feasible and computationally efficient, a block-partitioning structure has been assumed. This

assumption amounts to dividing the atmosphere into layers, which may differ from the output layers of the previous section. Each atmospheric layer identifies a block, and the variance-covariance matrix for the entire profile is assumed block-diagonal with a constant parameter set Ψ_a in each layer block. This technique is a special case of the spatial partitioning approach (Heaton et al., 2019), but continuity at the layer borders is ignored here because borders have been deliberately located far from the gaps.

The GP model selection considered the two autocovariance functions γ in Equation (2), various basis functions h(), and various layering's of the atmosphere to define the appropriate concept of local model $\Psi_a(t)$ of Equation (4). For each layer a, local estimation has been performed using the maximum likelihood method. The above alternatives have been optimised using the RMSE applied to the block-bootstrap replicates of Section 5.

Considering the choice of layering resolution, the results were little sensitive to layer-size variations and a 400 s layer size used since it provides both a reasonable computing time and a satisfactory atmospheric adaptation. The exponential autocovariance function with p = 1 resulted in a smaller cross-validation RMSE, compared to the square exponential one (p = 2).

The best results for the basis functions were obtained with a piecewise linear function of time. In this regard, other predictor set-ups were also considered: a piecewise quadratic function of time and vector predictor set-ups, including altitude, coordinates, and wind. Using these more complex models did not result in any relevant improvement to RMSE; still worse, it resulted in problems concerning the singularity of the information matrix at various combinations of sites and layers. Hence, invoking Occam's razor and looking for a robust and general model set-up, we settled on using the simplest piecewise linear function of time.

8 Results

260

This sectin's bootstrap campaign aims to assess the uncertainty of the linear interpolation, Equations (5) and (8), and of the GP interpolation, Equations (9) and (10). The cross-validation design is based on a 4×3 combination of gap sizes μ_G and missing fractions f, centred on the characteristics of the $Many_nan$ data set. In detail, we use $\mu_G = 4,10,30$, and 60 s and f = 0.05, 0.13, and 0.20. Moreover, for uncertainty estimates with a high vertical density, the block-bootstrap validation of Section 5 is replicated B = 50 times, giving a data set with more than 51 million measurements for each combination of μ_G and f.

Table 2 summarises the RMSEs of both the linear and GP interpolations. Overall, the average interpolation uncertainty is smaller than 0.1K for little gaps ($\mu_G = 4$ s), increases to about 0.16 K for medium gaps ($\mu_G = 10$ s), and increases further to 0.35 K and 0.58 K for large and very large gaps ($\mu_G = 30$ s and 60 s), respectively.

When comparing the two interpolation approaches, Table 2 shows that they have very close RMSEs. Indeed, not only do the
linear and GP interpolations have close performances but also, for any practical purposes, they are also exchangeable since the
mean absolute difference between the two is smaller than 0.01 K. Hence, in the rest of this paper, we will not replicate figures
and results for both interpolation methods.

		$\mu_G = 4^{\prime\prime}$		$\mu_G = 10^{\prime\prime}$		$\mu_G = 30^{\prime\prime}$		$\mu_G = 60''$	
Site	Profiles	GP	Linear	GP	Linear	GP	Linear	GP	Linear
BEL	15	0.084	0.088	0.159	0.160	0.338	0.363	0.590	0.604
LAU	32	0.106	0.107	0.180	0.184	0.370	0.389	0.599	0.612
LIN	45	0.073	0.074	0.145	0.145	0.314	0.324	0.548	0.542
NYA	35	0.072	0.073	0.127	0.130	0.269	0.269	0.463	0.460
PAY	30	0.098	0.098	0.180	0.181	0.370	0.391	0.659	0.658
SGP	16	0.107	0.109	0.189	0.187	0.401	0.420	0.703	0.698
SOD	4	0.074	0.076	0.137	0.138	0.281	0.363	0.426	0.478
	177	0.087	0.088	0.159	0.160	0.334	0.349	0.574	0.576

Table 2. Comparison of cross-validation RMSEs between GP and linear interpolation for increasing average gap length $\mu_G = 4, 10, 30$ and 60 s. Cross-validation is based on B = 50 block-bootstrap replications, each with missing fraction f = 0.13.

Figure 7 depicts the linear interpolation uncertainty at each GRUAN site using the RMSE based on Equation (12). Here and in the rest of this section, for simplicity, the largest average gap size $\mu_G = 60$ s is omitted. The clustered pattern of the nine curves clearly shows that the missing fraction f has a minor influence on uncertainty in the range 0.05 - 0.20, which is the range of interest for meaningful practical applications. Hence, for the rest of the paper, we will consider only the missing fraction f = 0.13. Moreover, considering jointly Figure 7 and the latter table, Lamont, Payerne, and Lauder have slightly larger RMSEs at all gap sizes.

Figure 8 depicts the vertical behaviour of the linear interpolation uncertainty at GRUAN sites, with average gap size increasing from panel a) to panel c). As expected the uncertainty's minimum is near the tropopause. Moreover, after a fast increase, it stabilizes at a value which is often larger than the lower atmosphere uncertainty level. The various sites have globally similar values, but again, Lamont, Payern, and Lauder typically have the largest values.

In order to re-interpret the GP-based linear interpolation uncertainty formula of Figures 3 and 4, we consider the ensemble of all the estimated local GP model parameters set Ψ from the entire cross-validation exercise. Coherently with the known small intrinsic error declared by Vaisala, the top panel of Figure 9 shows very small values of σ_{ϵ} . Moreover, from the second panel of the same figure, we see that the values $\sigma_s < 1$ are common and, in particular, $\sigma_s = 0.5$ used in Figures 3 and 4 is quite plausible. Eventually, the bottom panel of Figure 9 shows that the correlation range θ may be easily between one and 15 minutes.

8.1 Interpolation distance

280

290

In general, the connection between the uncertainty curves of Figures 3 and 4 and the cross-validation evidence are worth studying. Considering both the gap size and the distance from the observations at various altitudes gives rise to hard-to-manage curve plots and a multiplicity of results. For this reason, the subsequent analysis is based on the interpolation distance in




Figure 7. Linear interpolation uncertainty by GRUAN site and average gap size $\mu_G = 4,10$ and 30 s. The cross-validation uncertainty (y-axis) is based on the Root Mean Square Error (RMSE) for missing fractions f = 0.05, 0.13, and 0.20.

seconds, which is denoted by d and given by the geometric mean of the temporal distances of each missing data from the closest observations y^- and y^+ in the notation of Section 3.

Figure 10 depicts the cross-validation RMSEs of the linear interpolation as a function of interpolation distance by altitude, namely:

$$MSE(d|ALT) = avg(e^2|d, ALT)$$
(13)

where $avg(\cdot|ALT,d)$ is the average of all the cross-validation terms with altitude in the layer ALT and interpolation distance d. We note that, in order to have high sampling information for both low and high interpolation distances, the graph is obtained by merging the results obtained for $\mu_G = 10$ and $30 \, \mathrm{s}$. We also note that, thanks to the Geometric distribution used in the block-bootstrap procedure in Section 5, we are able to consider distances larger than $30 \, \mathrm{s}$. In particular, Figure 10 only depicts interpolation distances up to $70 \, \mathrm{s}$. Indeed, the block-bootstrap with an average distance of $\mu_G = 30 \, \mathrm{s}$ provides little testing data at larger distances, especially at high altitudes. Of course, using the same approach, longer interpolation distances may be easily explored by generating testing sets with larger μ_G .




Figure 8. Linear interpolation uncertainty of GRUAN sites. The cross-validation uncertainty (x-axis) is based on the Root Mean Square Error (RMSE) and missing fraction f=0.13. Panel a: average gap size is $\mu_G=4\,\mathrm{s}$; panel b: average gap size is $\mu_G=10\,\mathrm{s}$; panel c: average gap size is $\mu_G=30\,\mathrm{s}$.




Figure 9. Frequency distribution of estimated GP model parameters from all bootstrapped profiles and all model-related atmospheric layers. Top panel: σ_{ϵ} [K]; centre panel: σ_{s} [K]; bottom panel: correlation range θ [min]. The average gap size is $\mu_{G} = 10$ s and the missing fraction is f = 0.13.

In addition, Figure 11 depicts the corresponding graph for the linear interpolation $SE(t^*) = SE(t^*|s,l,b)$, given by Equation (8), and quadratically averaged over site s, launch l, and bootstrap replication b, namely:

$$\overline{SE(d|ALT)} = \sqrt{avg(SE(t^*|s,l,b)^2|d,ALT)}.$$
(14)

The corresponding graph for the GP-SE of Equation (10) is not reported here because it gives very close results. Indeed, not only are the two interpolation methods exchangeable, as noticed above, but their SE's are also very close, with a mean absolute difference between the two of less than 0.005 K.




Figure 10. Each line shows the cross-validation Root Mean Square Error (RMSE) of linear interpolation as a function of the interpolation distance [s], for a specific atmospheric layer in the range of 2-37 km. The interpolation distance (x-axis) is given by the geometric mean of the distances of each missing data from the closest good data, y^- and y^+ . The graph is obtained my merging the block-bootstrap simulations with average gap sizes $\mu_G = 10$ and 30s.

Figures 10 and 11 have similar increasing behaviour, but the average linear interpolation SE is generally smaller than the corresponding RMSE and approximately equal at the very short distance d = 1s. From Equation (7), we expect that they differ by a quantity depending on the measurement error uncertainty, σ_{ϵ} . Recalling Figure 9, the latter is very small, and it is not enough to explain such a discrepancy. Indeed, Equation (7) would hold exactly if i) the used GP were a perfect model for our data, ii) its coefficients Ψ were known exactly, and iii) the cross-validation estimation of the RMSE was exact. The latter two conditions hold approximately due to the large data set used. Hence, the SE underestimates the "true" interpolation uncertainty, primarily due to the GP model approximation.

320

For the above reasons, we propose a bootstrap-corrected interpolation uncertainty estimate by merging the information of the single profile (s,l) captured by the corresponding GP and the average off-set of the uncertainty given by the RMSE:

325
$$u(t|s,l)^2 = SE(t|s,l)^2 + (MSE(d|ALT) - \overline{SE(d|ALT)}^2).$$
 (15)

In practice, the first summand, SE, must be computed for every single profile, while the term based on MSE may be implemented as a lookup table.




Figure 11. Each line shows the linear interpolation Standard Error (SE) as a function of the interpolation distance [s], for a specific atmospheric layer in the range of 2-37 km. The depicted SE is the quadratic average of Equation (8) for each altitude and interpolation distance in the validation data set. The interpolation distance (x-axis) is given by the geometric mean of the distances of each missing data from the closest good data, y^- and y^+ . The graph is obtained my merging the block-bootstrap simulations with average gap sizes $\mu_G = 10$ and 30s.

8.2 Practical aspects

330

335

340

As an illustration of the method, the profile of the Sodankylä site on 2017-03-03 12:00 is considered in Figure 12, left panel. This profile has T=4,722 measurements and no original missing values. Using the block-bootstrap, 563 measurements have been deleted (pseudo-missing), generating gap lengths between 1 and 24 s. From a practical point of view, such missing rates and gap lengths can be considered a relatively common, yet serious, case for interpolation. In the right panel of Figure 12, the results of the previous subsection, based on the entire data set, are used to show both \pm the GP uncertainty of Equation (8), and \pm the bootstrap uncertainty of Equation (15), computed at the interpolated pseudo-missing values. The result is that the bootstrap-corrected interpolation uncertainty never exceeds 0.3 K along this profile. In doing this computation, formulas (13) and (14) are implemented as lookup tables with entries geometric distance and altitude.

Figure 13 zooms in on the above profile at around 22.5 km height and shows in detail the interpolation of a single point gap (C), two small gaps (A,B), and three larger gaps (D-F). For Gap C, the uncertainty is almost negligible using both methods. As far as the gap size increases, both the uncertainty and the difference between the two methods increase. In the most extreme case, Gap D, the bootstrap uncertainty is about twice the uncorrected amount. Of course, this is the case where any interpolation method but Delphi's oracle would fail. Nonetheless, the error (interpolated minus observed) is approximately 3u




Figure 12. RS42 temperature profile at Sodankylä site on 2017-03-03 12:00. Left panel: observation is in blue and block-bootstrap pseudomissing are in red. Right panel: \pm linear interpolation uncertainty of pseudo-missing values; GP uncertainty (8) is in dark blue; Bootstrap uncertainty (15) is in orange.

in absolute value, and also in this difficult interpolation case, our bootstrap-corrected approach provides a sensible estimate of the uncertainty.

It follows that the implementation of a GRUAN data processing providing interpolated temperature profiles along with their uncertainty requires some effort divided into two different phases. First, a massive GP off-line computation is needed to prepare the lookup table related to Equations (13) and (14). Second, for each profile, an on-line local GP calibration is needed to provide the SE (8) for the interpolated values. After this processing, Equation (15) easily gives the corrected interpolation uncertainty.

9 Conclusions

350 This paper offers a multifaceted assessment of the interpolation uncertainty of Vaisala RS41 temperature profiles at various altitudes, using an extensive data set from seven GRUAN sites. Moreover, it provides a general frame for the interpolation of generic atmospheric profiles.




Figure 13. Detail of RS42 temperature profile at Sodankylä site on 2017-03-03 12:00, around 22.5 km altitude. Observations are in blue, block-bootstrap pseudo-missing are in red, and the corresponding five gaps are labelled A-F; linear interpolation is in black; \pm GP uncertainty, Equation (8), is in dashed blue; \pm Bootstrap-corrected uncertainty, Equation (15), is in orange.

Two complementary uncertainty approaches have been developed and integrated. The first is a cross-validation approach based on block-bootstrap, which shows that the average of the root mean square error of linear interpolation is about 0.1 K for small gaps, which increases up to 0.58 K for gaps of an average duration of 60 s. These results may be made operational as lookup tables characterising interpolation uncertainty with entry altitude and interpolation distance. The resulting lookup table could be made available to the scientific community.

355

360

365

Since the cross-validation outputs are averages, the individual profile contribution to the uncertainty is not considered. Hence, the second approach addresses interpolation uncertainty using Gaussian process assumptions. This approach allows for obtaining a formula for the interpolation uncertainty which depends on the autocorrelation structure of each single profile.

Integrating the above two approaches, a bootstrap-corrected formula for the individual interpolation uncertainty is proposed. Based on these results, a future version of GRUAN data processing could implement interpolated temperature profiles, uncertainty included.

The extension of this approach to other essential climate variables (ECV) and/or other instruments requires some consideration. From the modelling point of view, provided that enough field data are available, the extension is relatively straightforward. Indeed, the approach is quite general, and model selection and optimisation are data-driven. Hence, similar results may be ex-

pected for temperature profiles obtained by other instruments, provided that vertical resolution and instrumental error are comparable to the present case. Further, similar results are also expected for other smooth variables, such as pressure.

On the other hand, the interpolation uncertainty could be greater for ECVs which are known to have large variations in the small scale. For example, relative humidity commonly shows highly intermittent profiles in the troposphere with very large and very fast-changing gradients. In these cases, we can expect that the cross-validation uncertainty could be high even for small gaps. In addition, the vertical autocorrelation could have a shorter range, and the corresponding GP model could provide interpolation uncertainties close to the white noise case considered in Section 3.

Code and data availability. The underlying MATLAB code is available from the corresponding author upon request. The data are available from the GRUAN Lead Center, www.gruan.org.

Appendix A: Linear interpolation uncertainty

To see Equation (8), let us rewrite the interpolation error of Equation (6) as follows:

$$m(t) - s(t) = \alpha y^{+} + (1 - \alpha)y^{-} - (y(t) + \epsilon(t)) = \mathbf{a}'\mathbf{u}$$

where $\alpha(t) = \frac{t-t^-}{t^+-t^-}$ as in Section 3.1, $\mathbf{a}' = (\alpha(t), 1-\alpha(t), -1, +1)$ is a vector of constants for fixed times $t^- \le t \le t^+$ and $\mathbf{u}' = (y(t^+), y(t^-), -y(t), +\epsilon(t))$ is a stochastic vector. With these symbols, Equation (8) may be written as:

$$SE(t)^{2} = E(m(t) - s(t))^{2} = \mathbf{a}' \mathbf{\Sigma}_{u} \mathbf{a}$$

where Σ_u is the variance-covariance matrix of u given by

$$\boldsymbol{\Sigma_{u}} = \begin{bmatrix} \sigma_{y}^{2} & \gamma(t^{+} - t^{-}) & \gamma(t^{+} - t) & 0 \\ \sigma_{y}^{2} & \gamma(t^{-} - t) & 0 \\ & \sigma_{y}^{2} & 0 \end{bmatrix}.$$

$$\boldsymbol{\sigma}_{e}^{2}$$

$$\boldsymbol{\sigma}_{e}^{2}$$

The conclusion follows by straightforward algebra.

Competing interests. The authors declare that they have no conflict of interests

Acknowledgements. The authors wish to thank the GRUAN Quality Task Force for the extensive discussions.

385

395

405

- Alegria, A., Caro, S., Bevilacqua, M., Porcu, E. and Clarke, J. (2017). Estimating covariance functions of multivariate skew-Gaussian random fields on the sphere. *Spatial Statistics* 22, 388-402.
- Bodeker, G. E., Bojinski, S., Cimini, D., Dirksen, R.J., Haeffelin, M., Hannigan, J. W., Hurst, D. F., Leblanc, T., Madonna, F., Maturilli, M., Mikalsen, A. C., Philipona, R., Reale, T., Seidel, D. J., Tan, D. G. H., Thorne, P. W., Vömel, H., and Wang, J. (2016). Reference Upper-Air Observations for Climate: From Concept to Reality. *Bull. Amer. Meteor. Soc.*, 97, 123-135, doi:10.1175/BAMS-D-14-00072.1.
- Ceccherini S., Carli B., Tirelli C., Zoppetti N., Del Bianco S., Cortesi U., Kujanpaa J., and Dragani R. (2018) Importance of interpolation and coincidence errors in data fusion. *Atmos. Meas. Tech.*, 11, 1009-1017 https://doi.org/10.5194/amt-11-1009-2018
- Cressie, N. and Wikle, C. (2011). Statistics for Spatio-Temporal Data. Wiley, New York.
- Dirksen R. J., Bodeker G. E., Thorne P. W., Merlone A., Reale T., Wang J., Hurst D. F., Demoz B. B., Gardiner T. D., Ingleby B., Sommer M.,
 von Rohden C., Leblanc T. (2019) Progress in managing the transition from the RS92 to the Vaisala RS41 as the operational radiosonde
 within the GCOS Reference Upper-Air Network. *Geosci. Instrum. Method. Data Syst.*, Discussions. https://doi.org/10.5194/gi-2019-36
 - Dirksen, R. J., Sommer, M., Immler, F. J., Hurst, D. F., Kivi, R., and Vömel, H. (2014) Reference quality upper-airc measurements: GRUAN data processing for the Vaisala RS92 radiosonde. *Atmos. Meas. Tech.*, 7, 4463-4490, https://doi.org/10.5194/amt-7-4463-2014.
 - Fassò, A., Ignaccolo, R., Madonna, F., Demoz, B. and Franco-Villoria M. (2014) Statistical modelling of collocation uncertainty in atmospheric thermodynamic profiles. *Atmos. Meas. Tech.* 7, 1803–1816.
 - Finazzi F., Fassò A., Madonna F., Negri I., Sun B., Rosoldi M. (2019) Statistical harmonization and uncertainty assessment in the comparison of satellite and radiosonde climate variables. *Environmetrics*, 30(2), 1-17. DOI: 10.1002/env.2528
 - Heaton, M.J., Datta, A., Finley, A.O. et al. (2019) A Case Study Competition Among Methods for Analyzing Large Spatial Data. JABES 24, 398–425. https://doi.org/10.1007/s13253-018-00348-w
- 400 Kimeldorf G.S., Wahba G. (1970) A correspondence between Bayesian estimation on stochastic processes and smoothing by splines. *The Annals of Math. Statistics*, 41 (2), 495-502.
 - Ignaccolo, R., Franco-Villoria, M., Fassò, A. (2015) Modelling collocation uncertainty of 3D atmospheric profiles. *Stochastic Environmental Research and Risk Assessment* 29 (2), 417-429.
 - Immler, F. J., Dykema, J., Gardiner, T., Whiteman, D. N., Thorne, P. W., and Vömel, H. (2010) Reference Quality Upper-Air Measurements: guidance for developing GRUAN data products, *Atmos. Meas. Tech.*, 3, 1217–1231, doi:10.5194/amt-3-1217-2010.
 - Mudelsee, M. (2014) Climate Time Series Analysis Classical Statistical and Bootstrap Methods, 2nd edn. Springer,
 - Genton (2001) Classes of Kernels for Machine Learning: A Statistics Perspective. Journal of Machine Learning Research, 2: 299-312.
 - Politis D., Romano J. (1994) The stationary bootstrap, Journal of the American Statistical Association, 89(428):1303-1313.
- Porcu, E., Bevilacqua, M. and Genton, M. (2016). Spatio-Temporal Covariance and Cross-Covariance Functions of the Great Circle Distance on a Sphere. *Journal of the American Statistical Association* 111, 888-898.
 - Rasmussen C.E. and Williams C.K.I. (2006) Gaussian Processes for Machine Learning. MIT Press.
 - Seidel, D. J., Berger, F. H., Immler, F., Sommer, M., Vömel, H., Diamond, H. J., Dykema, J., Goodrich, D., Murray, W., Peterson, T., Sisterson, D., Thorne, P., and Wang, J.: Reference Upper-Air Observations for Climate: Rationale, Progress, and Plans, B. Am. Meteorol. Soc., 90, 361-369, 2009.
- 415 Sofieva V. F., Dalaudier F., Kivi R., Kyrö E. (2008) On the variability of temperature profiles in the stratosphere: Implications for validation *Geophysical* Research Letters. 35, L23808, doi:10.1029/2008GL035539

- Sinyuk, A., Holben, B. N., Eck, T. F., Giles, D. M., Slutsker, I., Korkin, S., Schafer, J. S., Smirnov, A., Sorokin, M., and Lyapustin, A. (2020) The AERONET Version 3 aerosol retrieval algorithm, associated uncertainties and comparisons to Version 2, *Atmos. Meas. Tech. Discuss.*, https://doi.org/10.5194/amt-2019-474, in review.
- Sun, B., A. Reale, D. J. Seidel, and D. C. Hunt (2010), Comparing radiosonde and COSMIC atmospheric profile data to quantify differences among radiosonde types and the effects of imperfect collocation on comparison statistics, *J. Geophys. Res.*, 115, D23104, doi:10.1029/2010JD014457.
 - Verhoelst T., Granville J., Hendrick F., Kohler U., Lerot C., Pommereau J.-P., Redondas A., Van Roozendael M., and Lambert J.-C. (2015) Metrology of ground-based satellite validation: co-location mismatch and smoothing issues of total ozone comparisons. *Atmos. Meas.*
- 425 Tech., 8, 5039-5062, https://doi.org/10.5194/amt-8-5039-2015