



## ***Interactive comment on “A fully Automated Dobson Sun Spectrophotometer for total column ozone and Umkehr measurements” by René Stübi et al.***

**René Stübi et al.**

rene.stubi@meteoswiss.ch

Received and published: 13 April 2021

Reply to RC1 comments, AMT-2020-391 manuscript, “A fully Automated Dobson Sun Spectrophotometer for total column ozone and Umkehr measurements” by René Stübi et al.”

The authors thank referee RC1 for the critical reading and the valuable comments and suggestions that allow us to improve our manuscript.

My only substantial comment on the manuscript is that in several places, the authors could do better to explain how they reach their conclusions. At times, the authors seem

C1

to implicitly assume that the reader already knows what they are talking about, and a reader outside the Dobson community or even one not familiar with the Arosa Dobson station might have difficulty following the logic. One example is the list of benefits of the so-called “rotating cabin” (page 6), but a more serious one is that in several places it is stated that the automation leads to a higher “quality” of data, and that this will facilitate improved understanding of various Dobson issues, without much explanation to the reader of why this is.

=> The authors accept this remark that certainly is a bias found in many publications. It is also not clear if the referee has noticed that a companion paper containing more details on the Arosa station is under review in parallel to this technical paper. We have tried to improve the approach at various places in the manuscript besides those pointed out by the referee.

One other point to raise is that, from my understanding of the system, it is not possible to make zenith observations during the daytime while operating automatically – is that correct? This seems to be a significant limitation of the system, compared to standard manual operation. This point should be clarified or discussed.

=> The statement is correct. Presently we have the chance in Arosa to have three Dobson instruments and so we dedicate one of them to Umkehr. Therefore, it was not in our priority to mount a robotic arm to remove the sun director for switching from direct sun to Umkehr observation and vice versa. In the discussion, we mentioned automated lamp tests and the adaptation of a robotic arm as useful extensions of the present system.

Specific comments

Page 2

Line 2 “state of the ozone layer” would be better wording

=> corrected

C2

Lines 2-3 Reword this whole sentence please

=> done

Lines 3-6 I would say the main point is that the calibration drifts during the time the satellite is in orbit

=> This is an additional point that we have introduced

Line 6 – I don't understand what the authors mean by "developed over 50 years" – the instruments or the networks? People typically date the "Dobson network" to 1957, but sometimes much earlier.

=> We refer to the network development. Since it was unclear, we rephrased this sentence.

Line 9 Why do you cite Pawson et al. (the 2014 WMO Ozone Assessment) and not the corresponding chapter from 2018? The 2018 assessment is cited in general but no specific chapters are referred to.

=> as suggested the reference to Pawson et al. is removed and chapters 3 and 4 of the 2018 assessment are mentioned

Line 10 "to" should be "with"

=> corrected

Lines 12-14 This statement is confusing because you start with wavelengths below 300 nm which you say are "almost completely absorbed" but then finish with saying the ozone column controls UV intensity at ground level – the reader should understand what wavelength range you're talking about and distinguish between UV-B and UV-C.

=> This sentence is now changed referring to the UV ranges UVA, UVB and UVC

Line 17 I think this statement understates the age of a lot of the Dobsons in the network – many of the very old ones are still being operated, not just instruments made before

C3

the year 2000. (<http://www.o3soft.eu/dobsonweb/instruments.html>)

=> the reference to the second part of the 20th century is suppressed

Lines 28-33 This is all interesting but I don't see that it's relevant. (You should still provide the references for the reader who wants to know more about the history of Arosa though).

=> part of the sentences have been removed but the historical reference to LKO is still present

Page 3

Line 1 – "strengthening" should be "strengthen"

=> corrected

Lines 2-3 Was there any reason to think either that extra measurements would be beneficial, or that operator influence was having a non-negligible effect on the measurements?

=> We had both reasons in mind. We were running for many years the LKO on a 365/365 daily schedule and we noticed differences between fulltime and part-time operators. Continuous measurements help the detection of bad/suspicious data and allow extending the measurements period at low sun elevation (high slant path) when the signal is very weak.

Lines 5-8 It sounds though it is not possible to automatically perform DS/ZB or DS/ZC pairs of observations as is the practice at many stations, or to choose to take zenith observations during the day if DS is not possible for a time?

=> This is correct and it returns to the specificity of the LKO favourable situation with no smog and rare hazy situations. However, the continuous observations by two Dobson pointing to the sun and one Dobson pointing to the zenith on a regular CDA cycle of less than 3 minutes cover partly the mentioned alternative observation types. The

C4

objectives of the MeteoSwiss project were not the development of a general-purpose system even though the flexibility of the data acquisition program would allow it.

Page 4

Line 3 – I think you really need a diagram of your own, showing the components of the Dobson that will be referred to in the rest of the manuscript.

=> We have asked the right to reproduce the diagram of Evans (2017) in a supplement Line 4 "direct sun" – not necessarily, in the case of Umkehr or zenith observations.

=> corrected

Line 9 Just "Dobson" will do from now on, for the first mention you could give his initials.

=> corrected

Line 19 Moeini et al. 2019 seems a strange reference for the basic Dobson equation.

=> these references are primarily pointing to the Beer-Lambert law application. A reference to BAMS's Shaw publication is added.

Line 22 The reader might not understand why these coefficients are based on properties of the primary reference instrument.

=> a sentence is added to justify this choice.

Line 26 I would prefer you give at least one more equation showing how the formula looks for four wavelengths rather than just one, so the reader can follow why the aerosol term is so small.

=> the double pair AD equation has been introduced

Line 27 If you are going to give these values, you should explain (very briefly) how you measured them particularly since the measurement of slit widths has been receiving a lot of attention in the Dobson community in recent years.

C5

=> A sentence to explain the slit width measurements is added with references.

Line 34 "allows to estimate" – please re-word.

=> corrected

Page 5

Line 1 If you say "at" sunrise or sunset the reader may have the impression it is a single measurement at that one moment, rather than over a period of time.

=> corrected

Line 4 Figure 4 is not the clearest diagram to explain the Umkehr effect but it's good enough I suppose.

=> The Umkehr is not a central part of the publication, a separate figure is not essential

Line 5 "is" should be "are"

=> corrected

Page 6

Lines 4-8 You definitely need to explain this better. It would be very difficult for the reader to see why a "rotating cabin" would lead to these four improvements, especially the first two which might seem completely unrelated. What was the situation before the introduction of the cabin?

=> an explanation of the setup before the rotating cabin and a reformulation of the improvements is added

Lines 9-12 I don't see the relevance of this information?

=> the information is moved in the introduction since it is effectively not relevant here.

Lines 15-16 I would like to see just a little bit more information about the earlier partial automation. What does "not conclusive" mean here?

C6

=> explanation added

Line 20 "table" should "tables"

=> corrected

Line 23 insert "from", ie "protrudes from the roof"

=> corrected

Lines 23 The quartz dome is not widely used around the Dobson network and needs a little bit of explanation, particularly about why you believe it does not interfere with the measurement.

=> explanation added

Page 7

Line 3 Why only 20 measurements?

=> it is not mandatory to follow the WMO recommendations (resulting to ~20 data / summer day) that covers adequately the mu-range. Full time observers can do more observations while part-time observers may do only one observation.

Lines 4-9 You need to explain the reasoning here – why does the automation extend the valid mu range of the Dobson?

=> it is not directly mentioned that the mu range is extended but close to the sunrise /sunset, the signal are very weak and measurements are difficult. The automated digital data acquisition is pretty efficient when the signal/noise is close to 1.

Lines 10-15 I really like the fact that you set out clearly a list of the five rotational axes.

=> thanks for the comment

Page 8

Lines 1-8 This is probably a question more for the editorial team – I question the use-

C7

fulness of including links to commercial websites. These will probably change within a few years. Specific information that appears on the website now is not guaranteed to still be there tomorrow.

=> waiting for the editorial team response before editing

Lines 1-5 How do you know that the tracking of the sun is sufficiently accurate? (I see some discussion of this point later on).

=> as for manual observations, we have visually controlled the illumination of the quartz plate during the development phase. Later on, we developed the elevation / azimuth scanning routines (§3.4, fig 7) to check remotely the sun pointing in case of doubtful data.

Page 12

(Figure 4) The CD is more variable from point-to-point and interestingly, also has larger rises and falls than the AD and AC during the short-term variations. Would you like to comment on that?

=> The ozone values being related to the R-dial differences ( $O3AD \approx RA-RD$ ,  $O3AC \approx RA-RC$  and  $O3CD \approx RC-RD$ ), a constant  $\Delta R$  uncertainty imply smaller (larger) point-to-point variations when R curves difference is large (small). Figure 4 shows the lower variations at the beginning, resp. end of the day compared to mid-day variations when the three R-curves get closer.

Lines 11-12 It sounds like a person has to be at the site quite early in the morning to change from Umkehr to Direct Sun mode? This is disappointing from a pragmatic viewpoint because it reduces some of the benefit of automation.

=> In the discussion, it is mentioned that adding a robotic arm to remove the sun director would allow switching from zenith (Umkehr) to direct sun observations. This extension of the system was not considered as essential at Arosa since we have dedicated Dobson for direct sun and Umkehr observation programs. Such developments

C8

can be foreseen in partnership with other institutes.

Lines 10-12 Are you also performing sunset Umkehr's?

=> Yes we do, our measurements program covers daily sunrise and sunset Umkehr's.

Page 14

Lines 3-11 Are the results of the lamp tests over a long period of time able to be presented by the software in a user-friendly way? This would be extremely helpful, eg if you could track the lamp tests over a year or in between two calibrations.

=> Historically, the data acquisition and data control programs were distinct and it is still the case today. Our QC/QA software plots the lamp test results but this is not part of the data acquisition software.

Lines 25-30 This addresses the question I asked a couple of pages ago about the accuracy of the sun tracking. It sound like the check is not automatically scheduled but set into action by the operator? Are there any criteria for how close it needs to be?

=> Presently, the sun tracking checks are not set in the regular observation schedule. Our goals were not to have week- or month-long unsupervised operation but a flexible remote control of the Dobsons. The modularity of the code allows setting these tests on a regular schedule if required. Our experience shows that the elevation should be set to  $\leq 1^\circ$  and azimuth to  $\leq 3^\circ$ .

(The peak of the curve on the azimuth plot in figure 7 is quite wide). If the instrument levelling is not quite right of course the tracking might be correct at certain times but not others.

=> As for other instruments (e.g. Brewer, Pandora, etc.) the levelling and the sun pointing is an essential part of the setting up. In our specific set up, the dome confines the sun director in a very limited space requiring a precise levelling.

Page 16

C9

Line 3 G.M.B. Dobson not G.W. I don't hesitate to say I believe Dobson would consider your S-curves to be very "nice".

=> thanks for the comment

Page 17

Line 4 It's not clear how automating the "old" instruments extends their lifetimes? Do you mean just that they will be cheaper to operate, or something more?

=> In the present days, the resource and budget reductions as well as the "whole digital" trend would condemned the use of the manually operated Dobson.

Line 7 It's not clear how automating the instruments improves the measurement "quality". Especially in the "discussion" section you should expand on this point.

=> The option of submitting two papers justifies not repeating the arguments in both publications. The present one is oriented on the technical aspects and the other on the data quality analysis.

Lines 9-10 Similarly, you need to explain how automating the instruments will help address these longstanding issues.

=> We added the recent paper from Gröbner et al. 2021 which precisely treats these issues and the advanced processing algorithm.

Page 18

Line 6 Correct the spelling of "Komhyr"

=> corrected

Lines 13 "his" should be "its"

=> corrected

Page 19

C10

Lines 4-5 This sentence is not very clear. Isn't the point the high-temporal-resolution, not the +/- 1 DU? Is it useful to be able to follow these small-scale variations?

=> sentence adapted. The traditional use of Dobson for long-term monthly averaged data do not ask for small-scale variations. However, improved resolution (time and quality) for satellites and model validations or for transient phenomenon affecting ozone are examples of application of high-resolution measurements.

Lines 5-7 I think you could make it clearer to the reader why the housekeeping data would facilitate further understanding as you claim.

=> the sentence is reformulated

One question many readers would be interested in is what are the advantages and disadvantages of the automated Dobson system compared to a Brewer? (You might consider this to be out of scope for the current work, however).

=> Yes indeed, the scope of this publication is not a Dobson – Brewer comparison even though both instrument types produce very consistent data as developed in Gröbner et al.

Page 20

Line 2 Albrecht is a strange choice – it's more about the policy issues of the Montreal Protocol

=> it is intentional to sometimes open the perspective showing that reaching an international agreement is not an easy task.

Line 5 I think you could do better here. The link only goes to the EURAMET page.

=> Project Number added

Page 22

Line 1 Did you mean to refer to a particular chapter or chapters of the 2018 Ozone

C11

Assessment?

=> the reference to Chapter 3 is added

---

Interactive comment on Atmos. Meas. Tech. Discuss., doi:10.5194/amt-2020-391, 2020.

C12