

Interactive comment on “Improving automated global detection of volcanic SO₂ plumes using the Ozone Monitoring Instrument (OMI)” by V. J. B. Flower et al.

V. J. B. Flower et al.

vjbflower@gmail.com

Received and published: 29 October 2016

Review 1 I do have a couple of comments: 1) The Support for Aviation Control Service also monitors SO₂ and ash from the Ozone Mapping and Profiler Suite (OMPS) onboard the S-NPP satellite. Response: Thank you for alerting us to OMPS being missing from the description of SACS. This has now been added to the text. Change: Page 2 Line 27

2) Although the technique is fully described, I am confused about a few aspects (which may display my ignorance more than anything else). The technique depends on analysis of sensor data in a defined area about a given volcano, either 2x2 or 4x4 degrees, to determine the existence of SO₂ above background levels. 2a) The authors indicate

Printer-friendly version

Discussion paper



that the noise from the larger 4x4 degree box would be an increase over that of the smaller one. That seems counter-intuitive to me. Wouldn't the noise reduce if you use the larger set of measurements available in the larger box? Response: The description of this characteristic has been updated to better indicate that the larger region is more susceptible to external interferences such as neighbouring volcanic emissions and pollution. Change: Page 5 Line 18-20

2b) Since the box drawn around volcanoes is delineated in degrees, the actual areal size of the box used in the analysis changes with latitude. I'm unclear if, or how, changes in the actual areal size of the box affects the technique. For example, wouldn't the calculated noise inside the box change as the size of the box get larger as the latitude increases, and wouldn't that affect the threshold at which the technique was applicable? Response: The physical dimensions of the analyses do in fact vary depending upon the latitude with the width of the box being $\sim 35\%$ smaller at high latitudes ($\sim 50^\circ$). A description of this has been incorporated into the paper and a review of the high latitude regions was performed and detailed to identify if the calculations favour or hinder plume identification. In short, in the limited number of high latitude eruptions we include here we saw no variation in the classification statistics relative to the success of the whole. This process favoured potential global implementation and therefore does favour the higher proportion of eruptions which in this case are located below 30° . Additional details have been included in the paper indicating that were the focus to be made on a single region such as Kamchatka, Indonesia or Vanuatu the classification of background noise could be refined to better cater to the regional characteristics. Change: Page 6 Line 1-7

In terms of presentation, the paper contains more than a few run-on sentences, many of which become garbled in what they are trying to present: Response: Thank you for bringing these sentences to our attention. The paper was reviewed with the identified tendency for sentences to run on in mind. The suggested instances were addressed in addition to others that could be improved within the manuscript.

[Printer-friendly version](#)[Discussion paper](#)

1) Introduction, second sentence: “The addition of these particles can result in significant impacts locally as fine particulate matter in the atmosphere can cause significant health problems (Delmelle et al.,2002, Hansell & Oppenheimer, 2004) and impacts to the aviation industry (Miller & Casadevall, 1999; Prata, 2009) in addition to alterations to the radiative transfer rates through the atmosphere on a global scale as seen following the eruption of Mt Pinatubo (Self et al., 1993), in order to mitigate the possible impacts of volcanic eruptions timely warning of events are essential.” This is a run-on sentence, plus the thoughts the authors wish to impart have become garbled and hard, if not impossible, to untangle. The sentence should be broken up into smaller, more easily digestible (and less garbled) ones Change: Page 1 Line 25-30

2) Introduction, third sentence is awkward. Instead: “Since the installation of a global network of ground-based monitoring stations would be both costly and impractical, the use of satellite-based remote sensing data provides the spatial and temporal coverage necessary to facilitate the near-real time (NRT) monitoring of global volcanism (Brenot et al., 2014). “ Change: Page 1 Line 30 - Page 2 Line 3

3) Introduction, fourth sentence is again awkward. Instead: Existing techniques employ a threshold approach in order to identify volcanic eruptions. This, however limits their capabilities in regards to smaller events and can be susceptible to the effect of high background noise levels. Change: Page 2 Line 3-5

4) Section 1.1, change sentence starting with “The technique developed by Brenot” to: The technique developed by Brenot et al. (2014) is subject to certain limitations when utilising UV data, including the systematic noise in the data leading to false alerts and the restriction of retrievals to those that assume a SO₂ plume altitude in the lower stratosphere (STL). Change: Page 2 Line 31 - Page 3 Line 1

5) Section 1.1, next sentence, should be a comma after altitude. Response: This sentence has been broken up and rewritten Change: Page 3 Line 1-4

6) Section 2.1, remove the semi-colon in the sentence starting with “OMSO₂ data

[Printer-friendly version](#)[Discussion paper](#)

currently” Response: This sentence has been rewritten and the semi-colon has been removed Change: Page 3 Line 22-24

7) Section 2.1. The following sentence is garbled and needs to be rewritten, preferably into smaller sentences: “The use of one retrieval altitude reduces the need for user input or prior knowledge of the injection altitude of the plume however results in the overestimation of plume mass for features injected above the retrieval altitude therefore this method is for identification and alert purposes as opposed to accurate plume mass calculation.” Change: Page 4 Line 9-14

8) Section 2.4. The second sentence is again a run-on one and, again, the message becomes garbled “Significant differences in measured SO₂ mass were found between the samples due to variations in eruption magnitude, background noise levels and SO₂ emission strength displayed by the incorporated volcanoes preventing the calculation of a flat emission threshold for the classification of the eruptive events.” And, again, rewriting into two or three smaller sentences is needed. Change: Page 6 Line 26-30

9) In the third paragraph, c,orrectly should be correctly. Change: Page 7 Line 11

10) Section 4.1.1. “Two additional alerts were generated as a result of a data gap in the OMI measurements (C10 and 24); this indicates that missing values (characterised by a blank cell to differentiate these from days with data available but no recordable SO₂ 10 emissions) are likely to be incorrectly classified by the incorporated model as volcanic events and therefore screening of samples for data gaps prior to incorporation into the model is required to prevent the classification of missing values as volcanic events.” Although the above sentence is understandable, it would help to break it into smaller pieces. Change: Page 5 Line 15-20

11) Section 4.4 “Where high latitude data were available and incorporated into this trial (Bezymianny, Okmok and Cleveland) correct classification occurred in all but one of those days where data was available (one additional control sample characterised by no available data was misclassified) indicating the robust nature of the M3 pre-

[Printer-friendly version](#)[Discussion paper](#)

processing technique employed, however further investigation is required to accurately assess the capabilities in high latitude regions particularly regarding the influence of persistent cloud cover.” The above is another run-on sentence, break into smaller ones. Change: Page 12 Line 3-9

“In order to resolve smaller plumes an instrument with a higher spatial resolution would be required however existing higher resolution instruments sacrifice temporal resolution in order to facilitate the identification of small features and therefore do not provide the daily coverage necessary in the creation of a global near real time alert system.” Another run-on (and somewhat garbled) sentence, rewrite and break into smaller pieces. Change: Page 12 Line 21-24

[Interactive comment on Atmos. Meas. Tech. Discuss., doi:10.5194/amt-2016-206, 2016.](#)

[Printer-friendly version](#)

[Discussion paper](#)

